

Publications

1. **Abid, M., M. Qasim, A. Sattar & A. Ghaffar (1988).** New host records of root-knot nematodes in Pakistan. *Pak. J. Nematol.*, 6: 53.
2. **Abid, M. & M. A. Maqbool (1990).** Effect of intercropping of *Tagetes erecta* on root-knot disease and growth of tomato. *Int. Nematol. Network Newsl.*, 7: 41-42.
3. **Abid, M. & M. A. Maqbool (1991).** Effect of bare-root dip treatment in oil-cakes and neem leaf extract on the root-knot development and growth of tomato and eggplant. *Pak. J. Nematol.*, 9: 13-16.
4. **Abid, M., M. A. Maqbool & G. Jilani (1992).** Comparative efficacy of neem derivatives and nematicides on plant growth and root-knot infection of tomato and okra. *In: Ghaffar, A. & S. Shahzad (Eds.). Status of Plant Pathology in Pakistan. Proc. Nat. Symp.*, pp. 289-293.
5. **Abid, M., S. E. Haque, M. A. Maqbool & A. Ghaffar (1992).** Effect of oilcakes, *Bradyrhizobium* sp., *Paecilomyces lilacinus* and Furadan on root nodulation and root-knot nematode in mungbean. *Pak. J. Nematol.*, 10: 145-150.
6. **Abid, M., M. J. Zaki & M. A. Maqbool (1993).** Use of the brown alga *Stoechospermum marginatum* for the control of root-knot nematode in brinjal. *Marine Res.*, 2: 39-44.
7. **Abid, M., M. J. Zaki & M. A. Maqbool (1995).** Neem derivatives for the control of root-knot nematode (*Meloidogyne javanica*) on okra. *Pak. J. Phytopathol.*, 7: 212-214.
8. **Abid, M., S. E. Haque, V. Sultana, J. Ara, A. Ghaffar & M. A. Maqbool (1995).** Comparative efficacy of neem cake and other organic amendments in the control of root-knot nematode in mungbean. *Pak. J. Nematol.*, 13: 103-107.
9. **Abid, M. (1996).** *Studies on the control of root-knot nematodes (Meloidogyne spp.) with botanical toxicants.* Ph. D. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 345.
10. **Abid, M., M. I. Chaudhary, M. A. Maqbool & Atta-ur-Rahman (1997).** Preliminary screening of some plants for their nematicidal activity against *Meloidogyne javanica*. *Nematol. Medit.*, 25: 155-157.
11. **Abid, M., V. Sultana, M. J. Zaki & M. A. Maqbool (1997).** Nematicidal properties of *Stoechospermum marginatum*, a seaweed. *Pak. J. Phytopathol.*, 19:143-147.
12. **Ahmad, M. (1973).** Importance of plant parasitic nematodes in Agricultural production. *Proc. Ent. Soc. Karachi*, 3: 21-22.
13. **Ahmad, M., M. Saeed & H. A. Khan (1973).** Plant parasitic nematode fauna of Sindh. *Pak. J. Sci. Ind. Res.*, 16: 249-250.

14. **Ahmad, M., H. A. Khan, S. H. Ashrafi & S. N. H. Naqvi (1974).** Preliminary studies on nematicidal action of Petkolin against plant parasitic and soil inhabiting nematodes-I. *Proc. Ent. Soc. Karachi*, 4-5: 25-31.
15. **Ahmed, M., G. H. Rizwani, F. Shahina, K. Firoza and S. Mahmud (2013).** Beneficial exploration of natural pesticides from higher Plant. *IJPSR*, 4: 1221-1226.
16. **Anis, M., F. Shahina, A. P. Reid & M. A. Maqbool (2000).** Redescription of *Heterorhabditis indica* Poinar *et al.*, 1992 (Rhabditida: Heterorhabditidae) from Pakistan. *Pak. J. Nematol.*, 18: 11-27.
17. **Anis, M., F. Shahina & M. A. Maqbool (2002).** Identification of *Steinernema feltiae* Filipjev, 1934 (Rhabditida: Steinernematidae) from Pakistan. *Pak. J. Nematol.*, 20: 65.
18. **Anis, M., F. Shahina, A. P. Reid & J. Rowe (2002).** *Steinernema asiaticum* sp. n., (Rhabditida: Steinernematidae) from Pakistan. *Int. J. Nematol.*, 12: 220-231.
19. **Azmat, R., F. Shahina & K. Nasira (2008).** The influence of gut nematode parasites on length, weight and condition factor of *Johnius belangerii* Curier, 1830. *Pak. J. Nematol.*, 26: 199-205.
20. **Bhatti, M. I., K. Firoza & F. Shahina (2004).** *Bio-control of mango fruit fly by entomopathogenic nematodes.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. Sponsored by Agricultural Linkages Programme (ALP), Pakistan Agricultural Research Council, Islamabad, Pakistan. pp. 16. (Urdu version)
21. **Bhatti, M. I., B. Abid, H. Manzar & K. A. Tabassum (2005).** EPN as biological control against cotton (*Gossypium hirsutum* L.) pests. *Pak. J. Nematol.*, 23: 128.
22. **Bhatti, M. I. & A. R. Musarrat (2008).** Scarlet pimpernel, *Anagallis arvensis* L. (Primulaceae), a new host of *Meloidogyne javanica* in Pakistan. *Pak. J. Nematol.*, 26: 197-198.
23. **Bhatti, M. I. (2011).** *Biological control of red palm weevil, fruit fly and armyworm through EPNs.* Ph. D. Thesis, Department of Botany, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 266.
24. **Bhatti, M. I., K. A. Tabassum & K. Firoza (2011).** New records of Mesorhabditidae (Nematoda: Rhabditida) from different habitats of Sindh and Punjab, Pakistan. *Pak. J. Nematol.*, 29: 119-137.
25. **Erum, Y. I., A. R. Musarrat & F. Shahina (2005).** *Jatropha gossypifolia* (Euphorbiaceae), a new host of *Meloidogyne javanica* in Pakistan. *Pak. J. Nematol.*, 23: 187-188.
26. **Erum, Y. I., A. R. Kazmi & F. Shahina (2006).** Influence of non chemical products on plant growth parameters of wheat and nematodes population density. *Pak. J. Nematol.*, 24: 81-95.

27. **Erum, Y. I. & F. Shahina (2008).** Description of *Atetylenchus metaporus* sp. n., (Nematoda: Psilenchidae) from Pakistan. *J. Nematode Morphol. Systemat.*, 11: 129-135.
28. **Erum, Y. I., F. Shahina & M. R. Siddiqi (2008).** *Subanguina balochia* n. sp., forming stem galls on grasses in Balochistan, Pakistan. *Int. J. Nematol.*, 18: 169-173.
29. **Erum, Y. I. & F. Shahina (2010).** Taxonomic studies on parasitic and soil nematodes found associated with wheat in Pakistan. *Pak. J. Nematol.*, 28: 1-58.
30. **Erum, Y. I. & F. Shahina (2010).** Validation of XGWM 301 microsatellite marker against cereal cyst nematode gene. *Pak. J. Nematol.*, 28: 143-144.
31. **Erum, Y. I., R. Mussarat & F. Shahina (2011).** Description of *Neodolichorhynchus indicus* sp. n., from Pakistan, with a key to species of the sub genus *Neodolichorhynchus* (*Mulkorhynchus*). *J. Nematode Morphol. Systemat.*, 14: 55-62.
32. **Erum, Y. I. (2011).** *Investigation of the genetic diversity of wheat germplasm against cyst nematodes*. Ph. D. Thesis, Department of Botany, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 363.
33. **Erum, Y. I., M. Kazi, M. Alvina & F. Shahina (2013).** Genetic diversity assessment of wheat genotypes by exploiting different molecular marker systems. *Pak. J. Nematol.*, 31: 139-152.
34. **Faizah, N. (2013).** *Biodiversity of Marine Nematode of the order chromadorida from the coastal areas of Karachi*. M. Phil. Thesis Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 72.
35. **Faizi, S., F. Shahina, S. Bano, E. Y. Iqbal, Lubna, H. Siddiqi & A. Naz (2011).** Isolation of nematicidal compounds from *Tagetes patula* L. yellow flowers: structure activity relationship studies against cyst nematode *Heterodera zae* infective stage larvae. *J. Agric. Food Chem.*, 59: 9080-9093.
36. **Firoza, K., K. Nasira & M. A. Maqbool (1990).** Description of *Hoplolaimus tabacum* n. sp., (Nematoda: Hoplolaimidae) from Pakistan with morphometric data on *H. aegypti*. *Pak. J. Nematol.*, 8: 1-5.
37. **Firoza, K. & M. A. Maqbool (1991).** Description of *Rotylenchus capsicumi* n. sp., and morphometric data on five known species of the genus *Helicotylenchus* Steiner, 1945 (Nematoda: Hoplolaimidae) recorded from Pakistan. *Pak. J. Nematol.*, 9: 71-78.
38. **Firoza, K. & M. A. Maqbool (1992).** Observations on five known species of spiral nematodes from Pakistan. *Pak. J. Nematol.*, 10: 15-22.
39. **Firoza, K. & M. A. Maqbool (1993).** Lance and Spiral Nematodes of Pakistan. In: Maqbool, M. A., A. Ghaffar & M. J. Zaki (Eds.). *Proc. Second Int. Workshop Plant Nematol.*, pp. 97-100.

40. **Firoza, K. & M. A. Maqbool (1993).** Observations of unusual position of phasmids in *Hoplolaimus indicus* Sher, 1963. *Pak. J. Nematol.*, 11: 65-66.
41. **Firoza, K. & M. A. Maqbool (1993).** Three new species of the subfamily Hoplolaiminae (Nematoda: Hoplolaimidae) from Pakistan. *Pak. J. Nematol.*, 11: 69-78.
42. **Firoza, K. & M. A. Maqbool (1994).** A diagnostic compendium of the genus *Helicotylenchus* Steiner, 1945 (Nematoda: Hoplolaimidae). *Pak. J. Nematol.*, 12: 11-50.
43. **Firoza, K. & M. A. Maqbool (1994).** Descriptions of *Helicotylenchus meloni* n. sp., and *H. striatus* n. sp., (Nematoda: Hoplolaimidae) from Pakistan. *Pak. J. Nematol.*, 12: 109-116.
44. **Firoza, K. & M. A. Maqbool (1995).** Numerical threshold for infection of the spiral nematode *Helicotylenchus dihystra* (Cobb, 1893) Sher, 1961 on brinjal, tomato and wheat. *Pak. J. Nematol.*, 13: 93-97.
45. **Firoza, K. (1996).** *Taxonomic studies on the plant parasitic nematodes belonging to the family Hoplolaimidae with special reference to genus Helicotylenchus.* Ph. D. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 329.
46. **Firoza, K. & M. A. Maqbool (1996).** Description of *Helicotylenchus lemoni* n. sp., (Nematoda: Hoplolaimidae) with a key to species of Pakistan. *Pak. J. Nematol.*, 14: 83-88.
47. **Firoza, K. & M. A. Maqbool (1996).** Effect of plant extracts in the control of *Helicotylenchus dihystra* (Cobb, 1893) Sher, 1961. *Pak. J. Nematol.*, 14: 61-66.
48. **Firoza, K. & M. A. Maqbool (1996).** Nematicidal properties of leaves of some plant species against *Helicotylenchus dihystra* (Cobb, 1893) Sher, 1963 on tomato. *Pak. J. Nematol.*, 14: 107-110.
49. **Firoza, K. (2004).** Bio-control of Nematodes by Vesicular Arbuscular Mycorrhizal (VAM) Fungi. (July 1, 2002 to June 30, 2004). Sponsored by Pakistan Science Foundation.
50. **Firoza, K., F. Shahina & Q. M. K. Anwar (2004).** Detection of VAM fungi in cotton fields of Sindh. *RADS*. 1: 11.
51. **Firoza, K., F. Shahina & M. H. Soomro, Eds. (2007).** *Sixth Nat. Nematol. Conf. Pakistan and Workshop on Integrated Nematode Disease Management (INDM) in some cereals, fruit and vegetables of Pakistan.* *Pak. J. Nematol.*, 25: 1-125.
52. **Firoza, K. & F. Shahina (2012).** AM fungi as potential biocontrol agent for crop improvement and bio-protectant against root-knot nematodes. (September, 2011 to August, 2014). Sponsored by Pakistan Science Foundation under NSLP.
53. **Ghaffar, A. & S. Hashmi (1983).** *Lens esculenta*, a new host of *Meloidogyne incognita*. *FAO Plant Prot. Bull.*, 31: 132.

54. **Golden, A. M., M. A. Maqbool & Z. A. Handoo (1987).** Descriptions of two new species of *Tylenchorhynchus* Cobb, 1913 (Nematoda: Tylenchida), with details on morphology and variation of *T. claytoni*. *J. Nematol.*, 19: 58-68.
55. **Golden, A. M., M. A. Maqbool & F. Shahina (1988).** Redescription of *Heterodera fici* (Nematoda: Heteroderidae) with SEM observations. *J. Nematol.*, 20: 381-391.
56. **Hajra, N., K. Firoza & F. Shahina (2009).** Effects of VAM and nematode interaction on some biochemical parameters of sunflower. In: Shahina, F., A. R. Kazmi & K. Firoza (Eds.). *Proc. 10th Nematological Event, Int. Conf. Nematology Pakistan and 35th All Pakistan Sci. Conf.*, *Pak. J. Nematol.*, 27: 27: 193-201.
57. **Hajra, N., F. Shahina and K. Firoza (2013).** Biocontrol of root-knot nematode by arbuscular mycorrhizal fungi in *Luffa cylindrica*. *Pak. J. Nematol.*, 31: 77-84.
58. **Hajra N. (2014).** *Biocontrol of root-knot nematodes in cucurbitaceae using vesicular Arbuscular Mycorrhizal Fungi (VAM)*. Ph. D. Thesis Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 203.
59. **Handoo, Z. A., E. Y. Iqbal, K. Nasira & F. Shahina (2010).** Two new species of *Paurodontella* Husain & Khan, 1968 (Nematoda: Sphaerulariidae) associated with wheat and a diagnostic compendium to the genus. *Nematology*, 12: 181-192.
60. **Hanif, M. (1992).** *Qualitative and quantitative studies of parasitic nematodes associated with lawn grass (Cynodon dactylon) from Karachi*. M. Sc. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan
61. **Hanif, M., M. A. Maqbool & A. Ghaffar (1994).** Plant parasitic nematodes associated with lawn grass (*Cynodon dactylon*) in Karachi area. *Pak. J. Phytopathol.*, 6: 71-73.
62. **Haque, S. E., M. Abid, A. Ghaffar & M. A. Maqbool (1993).** Effect of *Bradyrhizobium* sp., *Paecilomyces lilacinus* and Furadan with oilcakes on root-rot root-knot disease complex of mungbean. In: Maqbool, M. A., A. Ghaffar & M. J. Zaki (Eds.). *Proc. Second Int. Workshop Plant Nematol.*, pp. 79-85.
63. **Haque, S. E., M. J. Zaki, M. Abid & A. Ghaffar (1994).** Use of biocontrol agents with *Bradyrhizobium japonicum* in the control of root-knot nematode in chick pea. *Pak. J. Nematol.*, 12: 149-154.
64. **Haque, S. E., V. Sultana, M. Abid, J. Ara & A. Ghaffar (1997).** Use of *Calotropis procera* and microbial antagonists in the control of *Meloidogyne* root-knot on mungbean. *Pak. J. Phytopathol.*, 9: 108-110.
65. **Hashmi, S. & G. Hashmi (1989).** Host status of several economic plants to *Pratylenchus zae* from Pakistan. *Nematropica*, 19: 195-197.
66. **Hashmi, S. & G. Hashmi (1990).** Crop rotation and *Meloidogyne javanica* in vegetable production. *Int. Nematol. Network Newsl.*, 7: 19-21.

67. **Inam-ul-Haq, M., S. R. Gowen, N. Javed, F. Shahina, M. Izhar-ul-Haq, N. Humayoon & B. Pembroke (2007)**. Antagonistic potential of bacterial isolates associated with entomopathogenic nematodes against tomato wilt caused by *Fusarium oxysporum* f. sp. *lycopersici* under greenhouse conditions. *Pak. J. Bot.*, 39: 279-283.
68. **Jalaluddin, M., N. B. Hajra, K. Firoza & F. Shahina (2008)**. Effect of *Glomus callosum*, *Meloidogyne incognita* and soil moisture on growth and yield of sunflower. *Pak. J. Bot.*, 40: 391-396.
69. **Javed, N. & F. Shahina (2007)**. Introduction of entomopathogenic nematodes. Markaz Zarai Tulba, Idar-e-Taleem-o-Tausee, Zarai University Faisalabad. *Zarai Digest*, pp. 75-77. (Urdu version)
70. **Javed, N., S. R. Gowen, M. Inam-ul-Haq, K. Abdullah & F. Shahina (2007)**. Systemic and persistent effect of neem (*Azadirachta indica*) formulations against root-knot nematodes, *Meloidogyne javanica* and their storage life. *Crop Protection*, 26: 911-916.
71. **Javed, N., S. A. Anwar, F. Shahina, M. Ashfaq & M. M. Khan (2008)**. Effects of neem formulations applied as soil drenching on the development of root-knot nematode *Meloidogyne javanica* on roots of tomato. *Pak. J. Bot.*, 40: 905-910.
72. **Javed, N., S. R. Gowen, S. A. El-Hassan, M. Inam-ul-Haq, F. Shahina & B. Pembroke (2008)**. Efficacy of neem (*Azadirachta indica*) formulations on biology of root-knot nematodes (*Meloidogyne javanica*) on tomato. *Crop Protection*, 27: 36-43.
73. **Kamil, A., S. Akhter, M. Ahmed, G. H. Rizwani, S. Jahan, S. Hassan, F. Shahina and S. Mahmud (2013)**. Chemical and biological studies of 2-(2'-pyridyl) benzimidazole and its synthesized derivatives. *VRI Biol. Med. Chem.*, 1: 51-56.
74. **Kamran, M. (1992)**. *Association of fungi on cysts of Heterodera zaeae*. M. Sc. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan
75. **Kamran, M., K. Nasira & F. Shahina (2009)**. Three new species of the genus *Synonchium* Cobb, 1920 (Chromadorida: Selachinematidae) from mangrove areas of Pakistan. In: Shahina, F., A. R. Kazmi & K. Firoza (Eds.). *Proc. 10th Nematological Event, Int. Conf. Nematology Pakistan and 35th All Pakistan Sci. Conf.*, *Pak. J. Nematol.*, 27: 129-144.
76. **Kamran, M., K. Nasira & F. Shahina (2009)**. Two new species of marine nematodes *Microlaimus amphidius* sp. n., and *M. karachiensis* (Chromadorida) from Arabian Sea of Pakistan. *Int. J. Nematol.*, 19: 167-172.
77. **Kamran, M., K. Nasira & F. Shahina (2010)**. Description of *Halaphanolaimus marinus* sp. n., (Nematoda: Chromadorida) from Arabian Sea of Pakistan. *Int. J. Nematol.*, 20: 69-74.
78. **Kamran, M. (2011)**. *Biodiversity, systematics and ecology of free-living nematodes of Arabian Sea from Pakistan*. Ph. D. Thesis, Department of Botany, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 311.

79. **Kazmi, S. A. R. (2012).** *Studies on biodiversity of entomopathogenic nematodes, symbiotic bacteria and their insecticidal properties.* Ph. D. thesis, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 204.
80. **Kazmi, A. R., K. A. Tabassum and F. Shahina (2013).** Characterization of symbiotic bacteria associated with *Steinernema abbasi* (strain 507), *S. siamkayai* (strain 157) and *Heterorhabditis bacteriophora* (strain 1743). *Pak. J. Nematol.*, 31: 11-19.
81. **Khan, K., M. J. Zaki & M. A. Maqbool (1994).** Fungi associated with cyst of *Heterodera zaeae*. *Med. Biol. J.*, 2: 31-33.
82. **Lamberti, F., M. A. Maqbool, F. Shahina & A. Agostinelli (1987).** Occurrence of *Xiphinema* species in Pakistan (Nematoda: Dorylaimida). *Nematol. Medit.*, 15: 145-148.
83. **Maqbool, M. A. (1975).** Brief report on the survey of fruit orchard of Garden Palace. National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 34.
84. **Maqbool, M. A., A. Zain & N. Shama (1975).** *Studies on parasitic nematodes associated with sugarcane (Saccharum officinarum) in Sindh region. Research Bulletin, No.1*, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 26.
85. **Maqbool, M. A. (1977).** *Biochemical studies on plants infected by parasitic nematodes.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. Sponsored by Pakistan Science Foundation, Islamabad, Pakistan.
86. **Maqbool, M. A. (1980).** Occurrence of eight cyst nematodes on some agricultural crops in Pakistan. *J. Sci.*, 8: 103-108.
87. **Maqbool, M. A. Ed. (1980).** *Proc. First National Training Course on Plant Nematology.* Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. Sponsored by Pakistan Agricultural Research Council, Islamabad, Pakistan. pp. 35.
88. **Maqbool, M. A. (1981).** Occurrence of root-knot and cyst nematodes in Pakistan. *Nematol. Medit.*, 9: 211-212.
89. **Maqbool, M. A. & M. Saeed (1981).** Studies on root-knot nematodes in Pakistan. *Proc. Third Res. Plann. Conf. Root-knot Nematodes (IMP), Region-VI*, Jakarta, Indonesia, pp. 115-121.
90. **Maqbool, M. A. & S. Kishwar (1981).** Studies on the chemical control of root-knot nematodes. *Proc. Third Res. Plann. Conf. Root-knot Nematodes (IMP) Region-VI*, Jakarta, Indonesia, pp. 130-141.
91. **Maqbool, M. A. (1982).** Description of *Quinisulcius solani* n. sp., (Nematoda: Tylenchorhynchidae) with a key to the species and data on *Scutylenchus koreanus* from Pakistan. *J. Nematol.*, 14: 221-225.

92. **Maqbool, M. A. (1982).** *Biological studies on cereal and fruit nematodes of Pakistan.* Sponsored by PARC/USDA, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan.
93. **Maqbool, M. A. (1982).** Plant-parasitic nematodes: Microscopic in size, monstrous in destruction. *Progressive Farming*, 2: 27-31.
94. **Maqbool, M. A. (1982).** Studies on some Criconematidae (Nematoda) from Pakistan associated with fruit plants. *Pak. J. Bot.*, 14: 31.
95. **Maqbool, M. A. (1982).** Studies on some Criconematoidea (Nematoda) from Pakistan with a description of *Hemicriconemoides ghaffari* n. sp. *Rev. Nematol.*, 5: 257-260.
96. **Maqbool, M. A. (1982).** Three new species of the super family Neotylenchoidea (Nematoda: Tylenchida) from Pakistan. *J. Nematol.*, 14: 317-323.
97. **Maqbool, M. A. & S. Hashmi (1982).** Studies of plant parasitic nematodes associated with pear (*Pyrus communis*) in Pakistan. *Pak. J. Bot.*, 14: 32.
98. **Maqbool, M. A., N. Fatima & H. Saleha (1982).** Association of *Merlinius brevidens* (Allen, 1955) Siddiqi, 1970 with important crops of Pakistan. *Pak. J. Bot.*, 14: 31.
99. **Maqbool, M. A. (1983).** Description of *Paktylenchus tuberosus* gen. n., sp. n., (Nematoda: Tylenchinae) from Pakistan. *J. Nematol.*, 15: 76-79.
100. **Maqbool, M. A. (1983).** *Nematode diseases of banana in Pakistan and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 12. (Urdu version)
101. **Maqbool, M. A. (1983).** *Plant parasitic nematodes, A Diagnostic and advisory services for farmers in Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. (English and Urdu versions)
102. **Maqbool, M. A., N. Fatima & F. Shahina (1983).** Morphology and relationship of two new species in the genus *Psilenchinae* (Nematoda: Tylenchida) with some new records from Pakistan. *J. Nematol.*, 15: 484.
103. **Maqbool, M. A., N. Fatima & S. Hashmi (1983).** *Merlinius niazae* n. sp., (Nematoda: Merliniinae) and the occurrence of some members of Merliniinae and Tylenchorhynchinae in Pakistan. *Pak. J. Nematol.*, 1: 111-121.
104. **Maqbool, M. A., S. Hashmi & B. Zarina (1983).** Onion a new host of *Heterodera mothi* from Pakistan. *Nematol. Medit.*, 11: 213-214.
105. **Maqbool, M. A., S. Hashmi & M. Qasim (1983).** Some new hosts of *Meloidogyne* spp., from Pakistan. *Pak. J. Nematol.*, 1: 147-148.

106. **Maqbool, M. A. (1984).** *Golden cyst nematode diseases of potato and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 18. (Urdu version)
107. **Maqbool, M. A. (1984).** *Nematode diseases of citrus in Pakistan and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 12. (Urdu version)
108. **Maqbool, M. A. (1984).** *Nematode diseases of rice in Pakistan and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 10. (Urdu version)
109. **Maqbool, M. A. (1984).** *Nematode diseases of sugarcane in Pakistan and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 9. (Urdu version)
110. **Maqbool, M. A. (1984).** *Studies on plant parasitic nematodes of cereals and fruit of Pakistan with special reference to *Quinisulcius solani* Maqbool, 1982.* Ph. D. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 190.
111. **Maqbool, M. A. & F. Shahina (1984).** Description of *Leipotylenchus amiri* n. sp., (Nematoda: Tylenchida) from Pakistan. *Rev. Nematol.*, 7: 363-365.
112. **Maqbool, M. A. & P. Ghazala (1984).** Studies on *Orientylus karachiensis* n. sp., (Nematoda: Haplolaimidae) and observations on *Orientylus siddiqii* from Pakistan. *Pak. J. Nematol.*, 2: 15-18.
113. **Maqbool, M. A. & S. Hashmi (1984).** Studies on differential host test for identification of root-knot nematode species and determination of physiological races in Pakistan. *Pak. J. Nematol.*, 2: 39-41.
114. **Maqbool, M. A. & S. Hashmi (1984).** New host records of cyst nematodes *Heterodera zae* and *H. mothi* from Pakistan. *Pak. J. Nematol.*, 2: 99-100.
115. **Maqbool, M. A., F. Shahina & B. Zarina (1984).** *Aglenchus mardanensis* n. sp., a new nematode species (Tylenchinae) from Pakistan. *Pak. J. Nematol.*, 2: 19-22.
116. **Maqbool, M. A., N. Fatima & F. Shahina (1984).** Three new species of the family Tylenchidae (Nematoda: Tylenchida) from Pakistan with comments on the genus *Basiroides*. *Pak. J. Nematol.*, 2: 49-59.
117. **Maqbool, M. A., P. Ghazala & N. Fatima (1984).** Two new species of the family Dolichodoridae (Nematoda: Tylenchida) from Pakistan. *Pak. J. Nematol.*, 2: 61-67.
118. **Maqbool, M. A. (1985).** Plant Parasitic Nematodes: microscopic in size, destructive in action. *Progressive Farming*, 5: 27-29.

119. **Maqbool, M. A. (1985).** *Strengthening of Nematological Research Centre (1982-1985)*. Sponsored by PARC, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan.
120. **Maqbool, M. A. & F. Shahina (1985).** *Criconemella anastomoides* n. sp., (Nematoda: Criconematina) from Pakistan. *J. Nematol.*, 17: 236-239.
121. **Maqbool, M. A. & F. Shahina (1985).** Two new and two known species of the genus *Malenchus* Andrassy, 1968 (Nematoda: Tylenhchidae) from Pakistan. *Pak. J. Nematol.*, 3: 1-7.
122. **Maqbool, M. A. & F. Shahina (1985).** Epicharinematinae n. subfamily and *Karachinema elongatum* n. gen., n. sp., (Tylenchida: Nematoda) from Pakistan. *Pak. J. Nematol.*, 3: 53-60.
123. **Maqbool, M. A. & F. Shahina (1985).** Some new records of Criconematoidea from Pakistan. *Pak. J. Nematol.*, 3: 69-71.
124. **Maqbool, M. A. & F. Shahina (1985).** Two new species of the genus *Ottolenchus* Husain & Khan, 1967 (Nematoda: Tylenchidae) with a key to the species and observation on *O. facultativus* (Szczygiel, 1969) Brzeski, 1982 from Pakistan. *Rev. Nematol.*, 8: 329-333.
125. **Maqbool, M. A. & P. Ghazala (1985).** Study on pathogenicity and life cycle of *Meloidogyne incognita* on two cultivars of tomato *in vitro*. *Proc. Second Nat. Meeting Plant Tissue Culture*, pp. 15-19.
126. **Maqbool, M. A. & S. Hashmi (1985).** Studies on horizontal and vertical distribution of *Quinisulcius solani* in a potato field. *Pak. J. Nematol.*, 3: 95-98.
127. **Maqbool, M. A., P. Ghazala & M. Qasim (1985).** *Zygotylenchus guevarai* (Tobar Jimenez, 1963) Braun & Loof, 1966. A new record from Pakistan. *Pak. J. Nematol.*, 3: 15-16.
128. **Maqbool, M. A., S. Hashmi & A. Ghaffar (1985).** Effect of Aldicarb and Carbofuran on the control of root-knot nematodes in cauliflower (*Brassica oleracea*). *Int. Nematol. Network Newsl.*, 2: 24-25.
129. **Maqbool, M. A., S. Hashmi & A. Ghaffar (1985).** New hosts record of root-knot nematodes (*Meloidogyne* spp.) in Pakistan and identification of physiological races. *Pak. J. Nematol.*, 3: 49-52.
130. **Maqbool, M. A., S. Hashmi & M. Qasim (1985).** Identification of species and races of *Meloidogyne* spp., and some new host records from Sindh and Balochistan. *Nematol. Medit.*, 13: 119-121.
131. **Maqbool, M. A., P. Ghazala, N. Fatima & M. Qasim (1985).** *Pararotylenchus microstylus* n. sp., and *Scutylenchus baluchiensis* n. sp., with observations on some new records from Pakistan. *Pak. J. Nematol.*, 3: 61-67.

132. **Maqbool, M. A. (1986).** *Classification and distribution of plant parasitic nematodes in Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 58.
133. **Maqbool, M. A. (1986).** Diseases caused by Nematodes. In: *Plant Diseases.* Hafiz, A. (Ed.), pp. 356-390.
134. **Maqbool, M. A. & A. Ghaffar (1986).** *Status of Plant Nematology in Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 45.
135. **Maqbool, M. A. & F. Shahina (1986).** Four new species of the family Hoplolaimidae (Nematoda) with notes on *Rotylenchus cypriensis* Antoniou, from Pakistan. *Nematol. Medit.*, 14: 117-128.
136. **Maqbool, M. A. & F. Shahina (1986).** New species of cyst nematode *Heterodera pakistanensis* (Nematoda: Heteroderidae) attacking wheat in Pakistan. *J. Nematol.*, 18: 541-548.
137. **Maqbool, M. A. & N. Fatima (1986).** Occurrence of *Paratrophurus anomalus* Kleynhans & Heyns, 1983 and *Merlinius bavaricus* Sturhan, 1966 from Pakistan. *Pak. J. Nematol.*, 4: 9-10.
138. **Maqbool, M. A. & P. Ghazala (1986).** A preliminary note on sterilization of *Meloidogyne* eggs with various concentrations of NaOCl and HgCl₂. *Int. Nematol. Network Newsl.*, 3: 34-37.
139. **Maqbool, M. A. & P. Ghazala (1986).** Description of *Boleodorus arachis* n. sp., and *Cephalenchus longicaudatus* n. sp., (Nematoda: Tylenchida) with observations on some new records from northern areas of Pakistan. *Pak. J. Nematol.*, 4: 51-58.
140. **Maqbool, M. A. & S. Hashmi (1986).** Effect of soil type on the population of *Quinisulcius solani* on potato. *Nematropica*, 16: 93-98.
141. **Maqbool, M. A. & S. Hashmi (1986).** Population trends of parasitic nematodes in different cropping sequences and its effect on yield of corn cv. Azam. *Int. Nematol. Network Newsl.*, 3: 34-38.
142. **Maqbool, M. A., F. Shahina & B. Zarina (1986).** Two new species of Hemicycliophorinae Skarbilovich, 1959 (Nematoda: Criconematidae) from Pakistan. *Pak. J. Nematol.*, 4: 43-49.
143. **Maqbool, M. A., S. Hashmi & A. Ghaffar (1986).** Eleven new hosts of root-knot nematodes and identification of physiological races in Pakistan. *Pak. J. Nematol.*, 4: 11-14.
144. **Maqbool, M. A. (1987).** *Investigation on nematodes associated with fruit crops of Pakistan and their control (1982-87)* PARC/USDA PL 480 Project. National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan.

145. **Maqbool, M. A. (1987).** Potato cyst nematodes in Pakistan identification, cutting and mounting. In: *Seed Potato Technology*. Ahmad S. I. & A. R. Bhutta (Eds.). *Proc. FAO/DANIDA National Training Course, Islamabad, Pakistan*.
146. **Maqbool, M. A. (1987).** Present status of research on plant parasitic nematodes in cereals, food and forage legumes in Pakistan. *Proc. Workshop Nematode parasitic to cereals legumes Temperate Semi-arid Regions, Cyprus*, pp. 173-180.
147. **Maqbool, M. A. & F. Shahina (1987).** Description of two new and data on three known species of the genus *Tylenchus* Bastian, 1865 (Nematoda: Tylenchidae) from Pakistan with a key to the species of *Tylenchus*. *Pak. J. Nematol.*, 5: 53-67.
148. **Maqbool, M. A. & F. Shahina (1987).** Nematodes of northern areas in Pakistan. Description of *Nagelus saifulmulukensis* n. sp., and *Merlinius montanus* n. sp., (Nematoda: Merliniinae) with notes on three species of *Tylenchorhynchus* Cobb, 1913. *Rev. Nematol.*, 10: 289-294.
149. **Maqbool, M. A. & S. Hashmi (1987).** Effect of granular nematicides on nematode population and sugarcane yield. *Rev. Nematol.*, 10: 111-113.
150. **Maqbool, M. A. & S. Hashmi (1987).** Reduction of *Tylenchulus semipenetrans* Cobb in citrus plantation with Aldicarb and carbofuran. *Nematol. Medit.*, 15: 395-397.
151. **Maqbool, M. A., B. Zarina & P. Ghazala (1987).** Description of *Tylenchus naranensis* n. sp., (Nematoda: Tylenchinae). *Pak. J. Nematol.*, 5: 1-4.
152. **Maqbool, M. A., M. Qasim & B. Zarina (1987).** New record of *Heterodera fici* Kirjanova, 1954 and *Meloidogyne javanica* (Treub, 1885) Chitwood, 1949 on *Ficus carica* L. *Pak. J. Nematol.*, 5: 49-50.
153. **Maqbool, M. A., P. Ghazala & B. Shahina (1987).** Influence of salts on the hatchability and infectivity of *Meloidogyne javanica* juveniles on tomato. *Pak. J. Nematol.*, 5: 99-102.
154. **Maqbool, M. A., S. Hashmi & A. Ghaffar (1987).** Effect of latex extracts from *Euphorbia caducifolia* and *Calotropis procera* on root-knot nematode *Meloidogyne incognita* infesting tomato and egg plant. *Pak. J. Nematol.*, 5: 43-47.
155. **Maqbool, M. A. (1988).** An overview of nematode problem and research in Pakistan. In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). *Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 23-46.
156. **Maqbool, M. A. & B. Zarina (1988).** Distribution and host association of some members of the family Pratylenchidae (Thorne, 1949). In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). *Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 165-167.

157. **Maqbool, M. A. & F. Shahina (1988).** Nematodes of northern areas in Pakistan *Heterodera bergeniae* sp. n., (Nematoda: Heteroderidae) a parasite of *Bergenia ciliata*. *Rev. Nematol.*, 11: 121-127.
158. **Maqbool, M. A. & F. Shahina (1988).** Taxonomic studies on some plant parasitic nematodes associated with important crops in Pakistan. *In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 137-156.
159. **Maqbool, M. A. & M. Qasim (1988).** Control of plant parasitic nematodes associated with apple and pistachio trees in Balochistan. *In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 271-274
160. **Maqbool, M. A. & P. Ghazala (1988).** Observation on some known species of *Hoplolaimus* von Daday, 1905 (Nematoda: Hoplolaimidae) from Pakistan. *Pak. J. Nematol.*, 6: 1-7.
161. **Maqbool, M. A., N. Fatima & P. Ghazala (1988).** Some species of stylet bearing nematodes from Pakistan. *In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 157-164.
162. **Maqbool, M. A., S. Hashmi & A. Ghaffar (1988).** *Problem of root-knot nematode in Pakistan and strategy for their control.* *In: Maqbool, M. A., A. M. Golden & L. R. Krusberg (Eds.). Advances in Plant Nematology. Proc. US-Pak. Int. Workshop Plant Nematol.*, pp. 229-240.
163. **Maqbool, M. A., A. M. Golden, A. Ghaffar & L. R. Krusberg, Eds. (1988).** *Advances in Plant Nematology. Proc. US-PAK Int. Workshop on Plant Nematolog.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 294.
164. **Maqbool, M. A. (1989).** Plant Nematology- Laboratory Techniques. *In: Vegetable Diseases.* Soomro, M. H. & M. Aslam (Eds.). NARC, Islamabad, Pakistan. pp. 44-55.
165. **Maqbool, M. A. & F. Shahina (1989).** Nematode of northern areas in Pakistan. Description of *Neothada major* n. sp., and *Pratylenchoides maqsoodi* n. sp., (Nematoda: Tylenchina). *Rev. Nematol.*, 12: 211-216.
166. **Maqbool, M. A. & F. Shahina (1989).** Occurrence of potato cyst nematode (*Globodera rostochiensis*) in Bata Kundi areas. *Pak. J. Nematol.*, 7: 67.
167. **Maqbool, M. A. (1990).** *Nematode diseases of vegetable and other crops and their control.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 43. (Urdu version)
168. **Maqbool, M. A. (1990).** *Research and other activities in Nematology, Ten Years of NNRC.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 65.

169. **Maqbool, M. A. & M. J. Zaki (1990).** Biological control of parasitic plant nematodes. *Progressive Farming*, 10: 42-46.
170. **Maqbool, M. A. & M. J. Zaki (1990).** Occurrence of *Pasteuria penetrans* on mature females of *Meloidogyne javanica* and *Meloidogyne incognita*, root-knot nematodes in Pakistan. *Pak. J. Nematol.*, 8: 13-15.
171. **Maqbool, M. A., F. Shahina & K. Firoza (1990).** Description of *Boleodorus azadkashmirensis* n. sp., (Nematoda: Tylenchidae) and observation on *Filenchus vulgaris* (Brzeski, 1963) Lownsbery & Lownsbery, 1985 from Pakistan. *Pak. J. Nematol.*, 8: 43-48.
172. **Maqbool, M. A. (1991).** *Investigation on the cereal cyst nematode problem in wheat and barley on screening resistance against Heterodera avenae.* Sponsored by Pakistan Atomic Energy Commission (PAEC), National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan.
173. **Maqbool, M. A. (1991).** *Nematode diseases of banana in Pakistan and their control.* Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. (English & Urdu versions)
174. **Maqbool, M. A. (1991).** *Nematode pests of economic significance affecting major crops of the countries in Asia and the Pacific region.* Asia and Pacific Plant Protection Commission, Technical Document No. 140, pp. 65.
175. **Maqbool, M. A. (1991).** *Studies on the predacious nematodes of agricultural importance in Pakistan.* Sponsored by University Grants Commission, Islamabad, Pakistan.
176. **Maqbool, M. A. (1991).** *Studies on the control of phytonematodes with botanical toxicants (1990-91).* Sponsored by Third World Academy of Science (TWAS), Italy.
177. **Maqbool, M. A. (1992).** *Distribution and host association of nematodes in Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 215.
178. **Maqbool, M. A. (1992).** Status of Plant Nematology in Pakistan. In: Ghaffar, A. & S. Shahzad (Eds.). Status of Plant Pathology in Pakistan. *Proc. Nat. Symp.*, pp. 51-57.
179. **Maqbool, M. A. & M. J. Zaki (1992).** *Annotated bibliography on Plant Nematology in Pakistan (1947-1992).* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 172.
180. **Maqbool, M. A. & M. J. Zaki (1992).** *Bibliography on Plant Nematology in the Near East Region.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 100.
181. **Maqbool, M. A. (1993).** Plant nematode fauna of Pakistan. *Proc. Pak. Cong. Zool.*, 13: 27-59.

182. **Maqbool, M. A. (1993).** *Studies on the cyst nematodes of Pakistan with special reference to Heterodera cynodontis Shahina & Maqbool, 1989.* (1991-1993). Sponsored by International Foundation for Science (IFS).
183. **Maqbool, M. A. & F. Shahina (1995).** Plant parasitic nematode associated with fruits and vegetables in Malakand agency, Pakistan. *Pak. J. Nematol.*, 13: 83-92.
184. **Maqbool, M. A. & K. Nasira (1995).** Occurrence and host association of Longidorid and Trichodorid nematodes in Pakistan. *Pak. J. Nematol.*, 13: 9-18.
185. **Maqbool, M. A. (1997).** Biodiversity of plant parasitic nematodes in Pakistan. In: Mufti, S. A., C. A. Woods & S. A. Hasan (Eds.). *Biodiversity of Pakistan. Pakistan Museum of Natural History, Islamabad & Florida Museum of Natural History, Gainesville*, pp. 317-324.
186. **Maqbool, M. A. (1997).** Pakistan (country report): In: *Plant nematode problem and their control in the Near East Region.* Maqbool, M. A. & B. Kerry (Eds.). Food and Agriculture Organization (FAO), Rome, Italy, United Nations, pp. 189-229.
187. **Maqbool, M. A. & B. Kerry, Eds. (1997).** *Proc. Plant nematode problems and their control in the Near East Region.* Food and Agriculture Organization (FAO), Rome, Italy, United Nations. *FAO Plant Production and Protection Paper*, No. 144: 1-315.
188. **Maqbool, M. A. (1998).** *Biodiversity in free-living marine nematode fauna of Arabian Sea from coastline of Pakistan (1998-2000).* Sponsored by Office of Naval Research (ONR), U.S.A.
189. **Maqbool, M. A. (1998).** *Studies on the entomopathogenic nematodes (1997-1998).* Sponsored by University of Karachi, Karachi-75270, Pakistan.
190. **Maqbool, M. A. & K. Nasira (1998).** Survey of marine nematodes of Arabian Sea from selected coastal areas of Pakistan. *Pak. J. Nematol.*, 16: 157-160.
191. **Maqbool, M. A. & K. Nasira (1999).** Survey of free-living marine nematodes of Arabian Sea from selected coastal areas of Sindh and Balochistan, Pakistan. In: Kazmi, Q. B. & M. A. Kazmi (Eds.). *Proc. Seminar Aquatic Biodiversity of Pakistan.* pp. 171-175.
192. **Maqbool, M. A., K. Nasira & T. A. Turpeenniemi (1999).** Description of free-living marine nematode *Enoplolaimus karachiensis* sp. nov., and five known species (Nematoda: Enoplida; Monhysterida) from Arabian Sea. *Pak. J. Nematol.*, 17: 105-123.
193. **Maqbool, M. A. & K. Nasira (2000).** Biodiversity in free-living marine nematode fauna of Arabian Sea from coastline of Pakistan. In: Viqar-Uddin Ahmad (Ed.). *Proc. Natl. ONR Symp. Arabian Sea as a Resource of Biological Diversity*, pp. 11-17.
194. **Maqbool, M. A. & K. Nasira (2000).** *Free-living marine nematode fauna of Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 71.

195. **Maqbool, M. A. & F. Shahina (2001).** *Systematics and distribution: Biodiversity of nematode fauna in Pakistan.* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 179.
196. **Mehreen, G. & F. Shahina (2012).** Determination and biocontrol potential of endemic entomopathogenic nematodes through cluster analysis. *Pak. J. Nematol.*, 30: 87-99.
197. **Mehreen, G. & F. Shahina (2013).** Intraspecific variations and phylogenetic relationships among heat tolerant strains of *Steinernema siamkayai* (Rhabditida: Steinernematidae) from Pakistan. *Pak. J. Nematol.*, 31: 105-123.
198. **Mehreen, G. (2013).** *Distribution and phylogenetic relationship (Molecular identification) of entomopathogenic nematodes.* Ph. D. Thesis, Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 301.
199. **Musarrat, A.R. & K. A. Tabassum (2002).** Review of the suborder Rhabditina from Pakistan. *Pak. J. Nematol.*, 23: 129.
200. **Musarrat, A. R., K. Firoza & F. Shahina (2006).** Study of root-knot nematodes (*Meloidogyne* spp.) in N.W.F.P. and Sindh, Pakistan. *Pak. J. Nematol.*, 24: 1-7.
201. **Musarrat, A. R., B. Zarina & F. Shahina (2007).** New hosts of root-knot nematode in Pakistan. *Pak. J. Nematol.*, 25: 341.
202. **Musarrat, A. R., K. Nasira & F. Shahina (2008).** Four new records of the order Mononchida (Enoplida: Nematoda) from rice fields of Sindh, Pakistan. *Pak. J. Nematol.*, 26: 141-149.
203. **Musarrat, A. R. (2011).** *Genetic diversity of resistant and susceptible rice and soybean cultivars with reference to root-knot nematodes.* Ph. D. Thesis, Department of Botany, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 307.
204. **Nasira, K., F. Shahina & M. A. Maqbool (1991).** *Tylenchorhynchus swatiensis* n. sp., (Nematoda: Tylenchida) from the swat area of Pakistan. *Pak. J. Nematol.*, 9: 1-5.
205. **Nasira, K. & M. A. Maqbool (1992).** *A Monograph on Stunt Nematodes of Pakistan (Dolichodoridae).* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 111.
206. **Nasira, K. & M. A. Maqbool (1992).** Occurrence of eight known species of Longidoridae (Thorne, 1935) Meyl, 1961 (Nematoda: Dorylaimida) in Pakistan. *Pak. J. Nematol.*, 10: 81-98.
207. **Nasira, K., K. Firoza & M. A. Maqbool (1992).** Description of *Xiphinema karachiense* sp. n., and morphometric data on *Enchodelus macrodorus* (de Man, 1880), Thorne, 1939 (Nematoda: Dorylaimida) from Pakistan. *Fundam. Appl. Nematol.*, 15: 421-426.

208. **Nasira, K. & M. A. Maqbool (1993).** Dagger and stunt nematodes of Pakistan. *In: Maqbool, M. A., A. Ghaffar & M. J. Zaki (Eds.). Proc. Second Int. Workshop Plant Nematol.*, pp. 91-95.
209. **Nasira, K. & M. A. Maqbool (1993).** Studies on the morphology of adults and juveniles of *Xiphinema basiri* Siddiqi, 1959. *Pak. J. Nematol.*, 11: 7-17.
210. **Nasira, K., F. Shahina, K. Firoza & M. A. Maqbool (1993).** Description of *Paralongidorus lemoni* n. sp., and redescription of *P. major* Verma, 1973 (Nematoda: Longidoridae) from Pakistan with SEM observation. *Pak. J. Nematol.*, 11: 79-91.
211. **Nasira, K. & M. A. Maqbool (1994).** Occurrence of virus vector nematodes in Pakistan. *Pak. J. Nematol.*, 12: 79-85.
212. **Nasira, K. & M. A. Maqbool (1994).** Two new species of *Paratrichodoros* Siddiqi, 1974 (Nematoda: Trichodoridae) with observation on *P. mirzai* (Siddiqi, 1960) Siddiqi, 1974 and *P. renifer* Siddiqi, 1974 from Pakistan. *Fundam. Appl. Nematol.*, 17: 323-332.
213. **Nasira, K. & M. A. Maqbool (1994).** Description of *Xiphinema cynodontis* n. sp., (Nematoda: Longidoridae) from Pakistan. *Pak. J. Nematol.*, 12: 99-107.
214. **Nasira, K. & M. A. Maqbool (1995).** Description of *Longidorus trapezoides* n. sp., and morphometric data on *L. elongatus* (de Man, 1876) Thorne & Swanger, 1936 (Dorylaimida: Longidoridae) from Pakistan. *Pak. J. Nematol.*, 13: 51-60.
215. **Nasira, K., K. Firoza & M. A. Maqbool (1995).** Five known nematode species recorded from banana in Pakistan. *Pak. J. Nematol.*, 13: 47-48.
216. **Nasira, K. & M. A. Maqbool (1996).** Description of *Tylenchorhynchus gossypii* n. sp., (Nematoda: Dolichodoridae) with observation on *T. elegans* Siddiqi, 1961 from Pakistan. *Pak. J. Nematol.*, 14: 33-40.
217. **Nasira, K. (1997).** *Studies on the families Longidoridae, Trichodoridae and Dolichodoridae with special reference to virus vector nematodes of Pakistan.* Ph. D. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 434.
218. **Nasira, K. & M. A. Maqbool (1998).** Description of *Xiphinema pakistanensis* n. sp., and the male of *X. oxycaudatum* Lamberti & Bleve-Zacheo, 1979 with observation on *X. thornei* Lamberti & Golden, 1986 (Nematoda: Longidoridae) from Pakistan. *Pak. J. Nematol.*, 16: 1-12.
219. **Nasira, K., F. Shahina & M. A. Maqbool (1999).** Description of *Solididens swatiensis* n. sp., (Dorylaimida: Nygolaimoidea) with observations on four known species from Pakistan. *Pak. J. Nematol.*, 17: 1-14.
220. **Nasira, K., M. A. Maqbool, T. A. Turpeenniemi & B. Zarina (2000).** Description of *Microlaimus sonmianensis* n. sp., with observation on *Microlaimus arenicola* Schulz, 1938

- and *Calomicrolaimus arenarius* Blome, 1982 (Chromadorida: Microlaimidae) from Arabian Sea of Pakistan. *Pak. J. Nematol.*, 18: 1-10.
221. **Nasira, K. & M. A. Maqbool (2002)**. Marine Nematode Fauna of Pakistan. In: Shahina, F., K. Firoza & S. Shahzad (Eds.). *Proc. Nat. Symp. Nematol.*, pp. 11-19.
222. **Nasira, K. & T. A. Turpeenniemi (2002)**. Description of *Trissonchulus lichenii* n. sp., and *Halalaimus gidanensis* n. sp., with observations on three known species (Nematoda: Enoplida) from northern Arabian Sea. *Pak. J. Nematol.*, 20: 1-16.
223. **Nasira, K. & T. A. Turpeenniemi (2003)**. New and known marine nematodes of the family Xyalidae (Nematoda: Monhysterida) from Arabian Sea of Pakistan. *Pak. J. Nematol.*, 21: 1-9.
224. **Nasira, K., F. Shahina & K. Firoza (2003)**. *Discolaimium australe* (Yeates, 1967) Andrassy, 1990 and a male of *Longidorus pisi* Edward, Misra & Singh, 1964 (Nematoda: Dorylaimida) from Pakistan. *Pak. J. Nematol.*, 21: 91-96.
225. **Nasira, K. (2004)**. *Marine nematodes as pollutant indicator*. (July, 2002 to June, 2004). Sponsored by Pakistan Science Foundation.
226. **Nasira, K. (2004)**. *Studies on the marine nematodes fauna of Arabian Sea near coastal areas of Pakistan*. (2003-04). Sponsored by University of Karachi, Karachi-75270, Pakistan.
227. **Nasira, K. & T. A. Turpeenniemi (2004)**. *Heliplectus dorsalis* Cobb in Chitwood, 1956 and *Spilophorella candida* Gerlach, 1951 (Nematoda: Chromadorida) from Arabian Sea of Pakistan. *Pak. J. Nematol.*, 22: 17-23.
228. **Nasira, K. (2005)**. *Taxonomic studies of free-living marine nematodes of the orders Chromadorida, Enoplida and Monhysterida from Arabian Sea of Pakistan*. (2004-05). Sponsored by University of Karachi, Karachi-75270, Pakistan.
229. **Nasira, K. & F. Shahina (2005)**. Nematodes in Marine Ecosystem. In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). *Proc. 5th Nat. Nematol. Conf.*, *Pak. J. Nematol.*, 23: 119-123.
230. **Nasira, K., F. Shahina & M. Kamran (2005)**. Description of *Diodontolaimus karachiensis* n. sp., (Chromadorida: Leptolaimidae) from Arabian Sea of Pakistan. In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). *Proc. 5th Nat. Nematol. Conf.*, *Pak. J. Nematol.*, 23: 115-118.
231. **Nasira, K., I. Erum & F. Shahina (2005)**. Description of *Tylencholaimus cynodonti* n. sp., with observation on four known species (Nematoda: Dorylaimida) from Pakistan. *Pak. J. Nematol.*, 23: 189-202.

232. **Nasira, K. (2006).** *Biodiversity, systematics and ecology of free-living marine nematodes of Arabian Sea from Pakistan.* (2005-06). Sponsored by University of Karachi, Karachi-75270, Pakistan.
233. **Nasira, K., M. Kamran, F. Shahina & Q. B. Kazmi (2006).** Description of marine nematode *Thalassironus qatarense* n. sp., (Enoplida: Ironidae) from Arabian Gulf, Qatar. *Pak. J. Nematol.*, 24: 139-144.
234. **Nasira, K. (2007).** *Biodiversity, systematics and ecology of free-living marine nematodes of Arabian Sea from Pakistan.* (2006-07). Sponsored by University of Karachi, Karachi-75270, Pakistan.
235. **Nasira, K. & F. Shahina (2007).** Bio-diversity and Bio-systematics of free-living marine nematode fauna from Arabian Sea of Pakistan. In: Firoza, K., F. Shahina & M. H. Soomro (Eds.). *Proc. 6th Nematol. Conf. and Workshop Integrated Disease Management (INDM) in some Cereals, Fruit and Vegetables of Pakistan.* *Pak. J. Nematol.*, 25: 107-125.
236. **Nasira, K. & F. Shahina (2007).** Free-living marine nematodes from Arabian Sea: a review. *Pak. J. Nematol.*, 25: 223-280.
237. **Nasira, K. & F. Shahina (2007).** Nematode investigation in some cereals, fruits and vegetables of Pakistan. In: Firoza, K., F. Shahina & M. H. Soomro (Eds.). *Proc. 6th Nematol. Conf. and Workshop Integrated Disease Management (INDM) in some Cereals, Fruit and Vegetables of Pakistan.* *Pak. J. Nematol.*, 25: 15-27.
238. **Nasira, K. & Q. M. Ali (2007).** Distribution and classification of free-living marine nematodes of Pakistan. *Int. J. Biol. Biotech.*, 4: 57-63.
239. **Nasira, K., M. K. Kamran & F. Shahina (2007).** Two new species of free-living marine nematodes of the family Cyatholaimidae (Nematoda: Chromadorida) from Arabian Sea of Pakistan. In: Firoza, K., F. Shahina & M. H. Soomro (Eds.). *Proc. 6th Nematol. Conf. and Workshop Integrated Disease Management (INDM) in some Cereals, Fruit and Vegetables of Pakistan.* *Pak. J. Nematol.*, 25: 91-98.
240. **Nasira, K., F. Shahina & K. Saifullah (2008).** Control of *Pratylenchus coffeae* root-lesion nematode in ashok tree using chemical amendment. *Pak. J. Nematol.*, 26: 175-186.
241. **Nasira, K., F. Shahina & Y. I. Erum (2008).** Description of *Discolaimus pakistanense* n. sp., (Nematoda: Dorylaimida) with a compendium of the genus *Discolaimus* Cobb, 1913 from Pakistan. *Pak. J. Nematol.*, 26: 107-124.
242. **Nasira, K., F. Shahina & M. Kamran (2009).** Marine nematodes at port bin Qasim of Arabian Sea and their role in the ecosystem. In: Shahina, F., A. R. Kazmi & K. Firoza (Eds.). *Proc. 10th Nematological event Int. Conf. Nematology Pakistan and 35th All Pakistan Sci. Conf.*, *Pak. J. Nematol.*, 27: 187-191.

243. **Nasira, K., B. Rehmat & F. Shahina (2010).** *Diplolaimella dievengatensis*, *Theristus longisetifer* and *Trichothristus floridanus* (Nematoda: Monhysteridae & Xylidae) reported from Arabian Sea of Pakistan. *Int. J. Nematol.*, 20: 179-184.
244. **Nasira, K., F. Shahina & K. Firoza (2010).** Description of *Longidorella (Saevadorella) tharensis* sp. n., (Nematoda: Dorylaimida) from Sindh, Pakistan. *Int. J. Nematol.*, 20: 135-140.
245. **Nasira, K., F. Shahina & M. Kamran (2010).** Response of free-living marine nematode community to heavy metal contamination along the coastal areas of Sindh and Balochistan, Pakistan. *Pak. J. Nematol.*, 28: 263-278.
246. **Nasira, K., F. Shahina, M. Kamran & R. Ali (2010).** Free-living marine nematodes of Sandspit backwater mangrove area, Karachi. *Pak. J. Nematol.*, 28: 149-151.
247. **Nasira, K. (2011).** *Biodiversity, systematics and ecology of free-living marine nematodes of Arabian Sea from Pakistan.* (July, 2008 to June, 2011). Sponsored by Pakistan Science Foundation.
248. **Nasira, K., B. Rehmat & F. Shahina (2011).** Description of *Onyx balochiensis* n. sp., (Nematoda: Chromadorida) with a compendium of the genus *Onyx* Cobb, 1891 from Pakistan. *Pak. J. Nematol.*, 29: 1-13.
249. **Nasira, K., N. Shaheen & F. Shahina (2011).** Root-knot nematode *Meloidogyne incognita wartellei* on pomegranate in Swat, KPK, Pakistan. *Pak. J. Nematol.*, 29: 117-118.
250. **Nasira, K. & F. Shahina (2012).** Marine nematode fauna from mangrove areas of Pakistan. *Int. J. Phycol. Phycochem.*, 8: 213-218.
251. **Nasira, K., F. Shahina, & K. Kamran (2013).** Marine nematode ecology. Vol. II. Lambert Academic Publishing. 238 pp.
252. **Nasira, K., F. Shahina and K. Firoza (2013).** *Deladenus cocophilus* n. sp. (Nematoda: Hexatylna): A Mycetophagous and Entomoparasitic Nematode in Infested Coconut Fruits from Balochistan, Pakistan. *J. Nematol.*, 45: 106-111.
253. **Qasim, M. & A. Ghaffar (1986).** *Heterodera zae* in the rhizosphere of declining almond trees. *Nematol. Medit.*, 14: 159.
254. **Qasim, M. & S. Hashmi (1988).** *Capsella bursa-pastoris* (L.) Medic, a new host of *Heterodera schachtii* Schmidt (1871) in northern areas of Pakistan. *Pak. J. Nematol.*, 6: 51.
255. **Qasim, M. & S. Hashmi (1988).** Seasonal population fluctuation of nematodes on pistachio in Balochistan. *Int. Nematol. Network Newsl.*, 5: 50-53.
256. **Qasim, M., M. Abid & A. Ghaffar (1988).** Occurrence of *Heterodera fici* Kirjanova, 1954 on *Ficus elastica* Roxb in Pakistan. *Pak. J. Nematol.*, 6: 49.

257. **Qasim, M., S. Hashmi & M. A. Maqbool (1988).** Distribution of parasitic nematodes and their importance in fruit production of Balochistan. *Pak. J. Nematol.*, 6: 17-22.
258. **Qasim, M. & S. I. Ahmed (1989).** Plant parasitic nematodes and potato seed production in the northern areas of Pakistan. *Int. Nematol. Network Newsl.*, 6: 43-44.
259. **Rafia, A., F. Shahina, K. Nasira, S.J. Mahmood & U. Fahim (2008).** Natural bioremediation of heavy metals through nematode parasite of fish. *Biotechnology*, 7: 139-143.
260. **Ramzan, M., Z. A. Handoo & F. Shahina (2008).** Description of *Tylenchorhynchus qasimii* sp. n., with a new report of *T. kegasawai* Minagawa, 1995 from Pakistan. *J. Nematol.*, 40: 20-25.
261. **Rizvi, T. S. and F. Shahina (2014).** Nematicidal activity of *Citrullus colocynthis* extracts against root-knot nematodes. *Pak. J. Nematol.*, 32: 101-112.
262. **Sabira, B., P. Sobiya, S. S. Bina, K. Shazia, F. Shahina & R. Musarrat (2011).** Chemical constituents of *Cordia latifolia* and their nematicidal activity. *Chem. Biodiv.*, 8: 850-861.
263. **Salma, J. & F. Shahina (2012).** Mass production of eight Pakistani strains of entomopathogenic nematodes (Steinernematidae and Heterorhabditidae). *Pak. J. Nematol.*, 30: 1-20.
264. **Salma, J. & F. Shahina (2013).** Survival analysis of infective juveniles of Pakistani EPN strains (steinernematidae and Heterorhabditidae) for mass production. *Pak. J. Nematol.*, 31: 171-178.
265. **Salma, J. (2013).** *Mass Production of Entomopathogenic nematodes for Biological Pest Suppression*. Ph. D. Thesis, Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 340.
266. **Samreen, H. (1996).** *Studies on plant parasitic nematodes associated with pineapple and citrus in Karachi with seasonal fluctuation of citrus nematode*. M. Sc. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan.
267. **Shahina, F. (1989).** *Studies on the important plant parasitic nematodes of cereal and vegetable crops of Pakistan with special reference to Heterodera zae and H. avenae*. Ph. D. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 340.
268. **Shahina, F. & M. A. Maqbool (1989).** Embryonic and postembryonic developmental stages of *Heterodera zae* Koshy et al., 1971 on *Zea mays*. *Pak. J. Nematol.*, 7: 3-16.
269. **Shahina, F. & M. A. Maqbool (1989).** *Heterodera cynodontis* n. sp., (Nematoda: Heteroderidae) from *Cynodon dactylon* (L.) in Pakistan. *Rev. Nematol.*, 12: 395-400.

270. **Shahina, F., M. Abid & M. A. Maqbool (1989).** Screening for resistance in corn cultivars against *Heterodera zae*. *Pak. J. Nematol.*, 7: 75-79.
271. **Shahina, F., M. A. Maqbool & A. Ghaffar (1989).** Screening of some wheat varieties for resistance against *Anguina tritici*. *Pak. J. Nematol.*, 7: 61-65.
272. **Shahina, F. & M. A. Maqbool (1990).** Distribution of corn cyst and cereal cyst nematodes in Pakistan. *Int. Nematol. Network Newsl.*, 7: 38-40.
273. **Shahina, F. & M. A. Maqbool (1990).** Effect of different inoculum levels of *Heterodera zae* on *Zea mays* and *H. avenae* on *Hordeum vulgare*. *Int. Nematol. Network Newsl.*, 7: 43-44.
274. **Shahina, F. & M. A. Maqbool (1990).** Studies on the genus *Neopsilenchus* (Nematoda: Tylenchidae) with description of *Acusilenchus* n. sub gen. and three new species. *Pak. J. Nematol.*, 8: 49-63.
275. **Shahina, F. & M. A. Maqbool (1990).** Host range studies of *Heterodera zae* and *H. avenae*. *Pak. J. Nematol.*, 8: 79-85.
276. **Shahina, F. & M. A. Maqbool (1991).** Description of three new species of the genus *Ogma* Southern, 1914 (Nematoda: Criconematidae) from Pakistan. *Rev. Nematol.*, 14: 221-229.
277. **Shahina, F. & M. A. Maqbool (1991).** Management of *Heterodera zae* on corn and *H. avenae* on barley with Aldicarb and Carbofuran. *Pak. J. Nematol.*, 9: 53-56.
278. **Shahina, F. & M. A. Maqbool (1991).** Redescription of *Heterodera mothi* Khan & Husain, 1965 (Nematoda: Heteroderidae) with SEM observation. *Afro-Asian J. Nematol.*, 1: 174-179.
279. **Shahina, F. & M. A. Maqbool (1992).** Description of *Deladenus pakistanensis* n. sp., (Nematoda: Tylenchida) from Pakistan. *Pak. J. Nematol.*, 10: 1-6.
280. **Shahina, F. & M. A. Maqbool (1992).** Nematodes from banana fields in Sindh with morphometric data on nine species with six representing new records of occurrence in Pakistan. *Pak. J. Nematol.*, 10: 23-39.
281. **Shahina, F. (1993).** *Studies on the cyst nematodes of Pakistan with special reference to Heterodera cynodontis Shahina and Maqbool 1989.* (January 1991 to December 1993). Sponsored by International Foundation for Science.
282. **Shahina, F. & M. A. Maqbool (1993).** Effect of soil type, morphology, distribution, host range of *Heterodera cynodontis* Shahina & Maqbool, 1989 (Cynodon cyst nematode). *Pak. J. Nematol.*, 11: 93-102.
283. **Shahina, F. & M. A. Maqbool (1993).** *Gracilacus musae* n. sp., (Nematoda: Paratylenchinae) from banana field in Sindh, Pakistan. *Pak. J. Nematol.*, 11: 1-5.

284. **Shahina, F. & M. A. Maqbool (1993).** *Pakcriconemoides anastomoides* (Maqbool & Shahina) gen. n. comb. n., *Criconemoides afghanicus* sp. n., and *Macroposthonia curvata alpina* sub sp. n., (Nematoda: Criconematidae). *Afro-Asian J. Nematol.*, 3: 188-195.
285. **Shahina, F., J. Rowe & M. A. Maqbool (1993).** Further details and SEM observations on *Heterodera cynodontis* Shahina & Maqbool, 1989 (Nematoda: Heteroderidae). *Fundam. Appl. Nematol.*, 16: 573-575.
286. **Shahina, F., M. R. Siddiqi & M. A. Maqbool (1993).** Studies on *Pakcriconemoides anastomoides* gen. n., sp. n., and observation on some other nematodes (Nematoda: Criconematidae). In: Maqbool, M. A., A. Ghaffar & M. J. Zaki (Eds.). *Proc. Second Int. Workshop Plant Nematol.*, pp. 87-90.
287. **Shahina, F. & M. A. Maqbool (1994).** Description of *Filenchus sindhicus* sp. n., and observations on three known species (Nematoda: Tylenchidae) on banana in Pakistan. *Nematologica*, 40: 69-77.
288. **Shahina, F. & M. A. Maqbool (1994).** Redescription of *Fergusobia indica* (Jairajpuri, 1962) Siddiqi, 1986 (Nematoda: Hexatyulina) from Pakistan. *Pak. J. Nematol.*, 12: 1-9.
289. **Shahina, F. & D. J. Hunt (1995).** A compendium of the genus *Seinura* Fuchs, 1931 (Nematoda: Aphelenchida). *Afro-Asian J. Nematol.*, 5: 169-177.
290. **Shahina, F. & M. A. Maqbool (1995).** *Cyst nematodes of Pakistan* (A monograph). National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 155.
291. **Shahina, F. & M. A. Maqbool (1995).** Occurrence of *Heterodera cruciferae* Franklin, (Nematoda: Heteroderidae) in District Swat, Pakistan. *Pak. J. Nematol.*, 13: 1-7.
292. **Shahina, F. & M. A. Maqbool (1995).** Effect of temperature on the life cycle of *Heterodera cynodontis* Shahina & Maqbool, 1989 (Nematoda: Heteroderidae). *Pak. J. Nematol.*, 13: 19-23.
293. **Shahina, F. (1996).** A diagnostic compendium of the genus *Aphelenchoides* Fischer, 1894 (Nematoda: Aphelenchida) with some new records of the group from Pakistan. *Pak. J. Nematol.*, 14: 1-32.
294. **Shahina, F. & M. A. Maqbool (1996).** Isolation of entomopathogenic nematodes (Heterorhabditidae and Steinernematidae) from Pakistan. *Pak. J. Nematol.*, 14: 135-136.
295. **Shahina, F. & M. A. Maqbool (1996).** Two new species of the genus *Radopholus* Thorne, 1949 (Nematoda: Pratylenchidae) from Pakistan. *Fundam. Appl. Nematol.*, 19: 289-292.
296. **Shahina, F., D. J. Hunt & M. R. Siddiqi (1996).** Three new species of *Aulolaimus* de Man (Chromadorida: Aulolaimidae). *Afro-Asian J. Nematol.*, 6: 78-84.

297. **Shahina, F. & P. D. Ley (1997).** Two new species of Cephalobidae from Valle de la Luna, Argentina and observations on the genera *Acrobeles* and *Nothacrobeles* (Nematoda: Rhabditida). *Fundam. Appl. Nematol.*, 20: 329-347.
298. **Shahina, F. (1998).** *Studies on the entomopathogenic nematodes.* (April, 1997 to March, 1998). Sponsored by University of Karachi, Karachi-75270, Pakistan.
299. **Shahina, F., M. A. Maqbool & M. H. Soomro (1998).** Nematodes and their host association in Northern areas of Pakistan. *Pak. J. Nematol.*, 16: 25-39.
300. **Shahina, F., M. Anis, S. Zainab & M. A. Maqbool (1998).** Entomopathogenic nematodes in soil samples collected from Sindh, Pakistan. *Pak. J. Nematol.*, 16: 41-50.
301. **Shahina, F. (1999).** *Studies on the infectivity of Heterorhabditis indicus (entomopathogenic nematodes) against the American bollworm of cotton.* (November, 1998 to October, 1999). Sponsored by University of Karachi, Karachi-75270, Pakistan.
302. **Shahina, F., M. Anis, M. A. Maqbool & M. H. Soomro (1999).** Mortality response of some insects by entomopathogenic nematode *Steinernema* BS266. *Pak. J. Nematol.*, 17: 125-128.
303. **Shahina, F. (2000).** *Studies on the entomopathogenic nematodes of Sindh region.* (July, 1997 to June, 2000). Sponsored by Pakistan Science Foundation.
304. **Shahina, F. (2000).** *Studies on the infectivity of Steinernema BS-266 and Heterorhabditis indicus (entomopathogenic nematodes) against the Heliothis spp.* (August, 1999 to July, 2000). Sponsored by University of Karachi, Karachi-75270, Pakistan.
305. **Shahina, F., K. A. Tabassum & M. A. Maqbool (2001).** Description of *Plectus karachiensis* n. sp., (Nematoda: Plectidae) with observation on *P. raabei* Brzeski, 1963 from Pakistan. *Pak. J. Nematol.*, 19: 33-40.
306. **Shahina, F., M. Anis, A. P. Reid, J. Rowe & M. A. Maqbool (2001).** *Steinernema pakistanense* sp. n., (Rhabditida: Steinernematidae) from Pakistan. *Int. J. Nematol.*, 11: 124-133.
307. **Shahina, F. (2002).** Entomopathogenic nematodes in Pakistan. In: Shahina, F., K. Firoza & S. Shahzad (Eds.). *Proc. Nat. Symp. Nematol.*, pp.7-9.
308. **Shahina, F. (2002).** *Taxonomic studies on the plant and soil nematodes of sugarcane fields with reference to entomopathogenic nematodes.* (August, 2001 to July, 2002). Sponsored by University of Karachi, Karachi-75270, Pakistan.
309. **Shahina, F. & K. A. Tabassum (2002).** Description of *Cephalobus sacchari* n. sp., and redescription of *C. nanus* de Man, 1880 (Nematoda: Cephalobidae) from Pakistan. *Pak. J. Nematol.*, 20: 17-24.

310. **Shahina, F., K. Firoza & S. Shahzad, Eds. (2002).** *Proc. Nat. Symp. Nematology*. National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 151.
311. **Shahina, F., M. Anis & M. A. Maqbool (2002).** A new virulent species of the genus *Steinernema* Travassos, 1927 (Nematoda: Steinernematidae), against insect pest of agricultural importance from Pakistan. *Pak. J. Nematol.*, 20: 79.
312. **Shahina, F. (2003).** *Systematics and distribution of nematode fauna of citrus fields from Sindh and Punjab region of Pakistan*. (April, 2002 to March, 2003). Sponsored by University of Karachi, Karachi-75270, Pakistan.
313. **Shahina, F. & K. Firoza (2003).** Status of Nematology in Pakistan. *In: Shimura, J. (Ed.). Building Capacity in Biodiversity Information Sharing. Proc. Building Capacity in Asia and Oceania, Tsukuba, Japan*, pp. 222-241.
314. **Shahina, F. (2004).** *Systematics and distribution of nematode fauna of citrus fields from Sindh and Punjab region of Pakistan*. (April, 2003 to March, 2004). Sponsored by University of Karachi, Karachi-75270, Pakistan.
315. **Shahina, F., H. Manzar & K. A. Tabassum (2004).** Symbiotic bacteria *Xenorhabdus* and *Photorhabdus* associated with entomopathogenic nematodes in Pakistan. *Pak. J. Nematol.*, 22: 117-128.
316. **Shahina, F. (2005).** *Genetic diversity of resistant and susceptible rice and soybean cultivars with reference to root-knot nematodes*. (2004-05). Sponsored by University of Karachi, Karachi-75270, Pakistan.
317. **Shahina, F. (2005).** New records of plant parasitic and free-living nematodes of Pakistan. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 3-6.
318. **Shahina, F. (2005).** *Studies of the field efficacy of the entomopathogenic nematodes as bio-pesticides*. (July, 2002 to June, 2005). Sponsored by Pakistan Science Foundation.
319. **Shahina, F. & Y. I. Erum (2005).** A review on betel vine crop and nematodes associated with it. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 111-114.
320. **Shahina, F. & Y. I. Erum (2005).** *Hirschmanniella magna*- A valid species. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 7-8.
321. **Shahina, F., A. R. Musarrat & M. R. Siddiqi (2005).** *Discolamium capitulum* sp. n., and observations on *D. brachyurum* Siddiqi and *D. upum* Baqri & Jairajpuri (Nematoda: Dorylaimida). *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 29-40.

322. **Shahina, F., H. Manzar & M. I. Bhatti (2005).** Effect of salt and temperature stress on survival and infectivity of infective juveniles of entomopathogenic nematodes. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol., 23: 103-109.*
323. **Shahina, F., K. Firoza & M. H. Soomro, Eds. (2005).** *Proc. Int. Symp. Biodiversity of Nematode of Pakistan, 5th Nat. Nematol. Conf., Pak. J. Nematol., 23: 1-123.*
324. **Shahina, F., Y. I. Erum & M. R. Siddiqi (2005).** Studies on the genus *Nygolaimus* Cobb, 1913 (Nematoda: Nygolaimidae) with description of two new species from Pakistan. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol., 23: 21-28.*
325. **Shahina, F. (2006).** *Genetic diversity of resistant and susceptible rice and soybean cultivars with reference to root-knot nematodes.* (2005-06). Sponsored by University of Karachi, Karachi-75270, Pakistan.
326. **Shahina, F. (2006).** *Integrated Nematode Disease Management (INDM) in some cereals, fruit and vegetables of Pakistan. Achievements* National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. Sponsored by Agricultural Linkages Programme (ALP), Pakistan Agricultural Research Council, Islamabad, Pakistan. pp. 15.
327. **Shahina, F. & A. R. Musarrat (2006).** Root-knot and reniform nematodes infecting some ornamental and medicinal plants in Pakistan. *Pak. J. Nematol., 24: 45-48.*
328. **Shahina, F. & K. Nasira (2006).** *Integrated Nematode Disease Management (INDM) in some cereals, fruits and vegetables of Pakistan.* (May, 2003 to April, 2006). Sponsored by Pakistan Agriculture Research Council (PARC) ALP, Islamabad, Pakistan.
329. **Shahina, F., K. A. Tabassum & K. Nasira (2006).** *Laimydorus wirisi* n. sp., with notes on *Aporcelaimellus obtusicaudatus* and *Allodorylaimus americanus* (Nematoda: Dorylaimida) from Pakistan. *Pak. J. Nematol., 24: 129-138.*
330. **Shahina, F. (2007).** *Nematode problem of medicinal plant and their management in Sindh.* (2006-07). Sponsored by University of Karachi, Karachi-75270, Pakistan.
331. **Shahina, F. & K. Firoza (2007).** Nematodes and pest problems in sugarcane. *Sugar J., 22: 18-28.*
332. **Shahina, F. & Y. I. Erum (2007).** Distribution of cyst nematodes in Pakistan. *In: Firoza, K., F. Shahina & M. H. Soomro (Eds.). Proc. 6th Nematol. Conf. and Workshop Integrated Disease Management (INDM) in some Cereals, Fruit and Vegetables of Pakistan. Pak. J. Nematol., 25: 29-35.*
333. **Shahina, F., K. B. Nguyen, A. R. Kazmi, K. A. Tabassum & K. Firoza (2007).** Morphometrics and comments on *Steinernema abbasi* Elawad, Ahmad & Reid, 1997 and *Heterorhabditis bacteriophora* Poinar, 1976 isolates found in Pakistan. *Int. J. Nematol., 17: 213-216.*

334. **Shahina, F., K. Firoza & M. H. Soomro (2007)**. Nematology in Pakistan: past, present and future. *Pak. J. Nematol.*, 25: 129-146.
335. **Shahina, F. (2009)**. *Screening of the genetic diversity of wheat germ plasm against cyst nematodes of Pakistan*. (July, 2006 to June, 2009). Sponsored by Higher Education Commission (HEC), Islamabad, Pakistan.
336. **Shahina, F. & J. Salma (2009)**. Laboratory evaluation of seven Pakistani strains of entomopathogenic nematodes against a stored grain insect pest, pulse beetle *Callosobruchus chinensis* (L.). *J. Nematol.*, 41: 255-260.
337. **Shahina, F. & K. Firoza (2009)**. 10th International Nematological Conference and 35th All Pakistan Science Conference. *Global Sci.*, pp. 24-27. (Urdu version)
338. **Shahina, F. & K. A. Tabassum (2009)**. Suppression of plant parasitic nematodes in *Cynodon dactylon* bermuda grass using live and dead entomopathogenic nematode *Steinernema pakistanense*. In: Shahina, F., A. R. Kazmi & K. Firoza (Eds.). *Proc. 10th Nematological event Int. Conf. Nematology Pakistan and 35th All Pakistan Sci. Conf., Pak. J. Nematol.*, 27: 167-178.
339. **Shahina, F., A. R. Kazmi & K. Firoza, Eds. (2009)**. *Proc. 10th Nematological Event, Int. Conf. Nematol. Pakistan and 35th All Pakistan Sci. Conf., University of Karachi, Karachi, Pakistan. Pak. J. Nematol.*, 27: 129-279.
340. **Shahina, F., B. Zarina, K. Firoza, M. H. Soomro & N. Javed (2009)**. Research on root-knot nematode, *Meloidogyne* by Pakistani scientists: a review with description of species prevalent in Pakistan. *Pak. J. Nematol.*, 27: 1-115.
341. **Shahina, F., G. Mehreen, J. Salma, K. A. Tabassum & M. I. Bhatti (2009)**. Susceptibility of different life stages of red palm weevil, *Rhynchophorus ferrugineus*, to entomopathogenic nematodes. *Int. J. Nematol.*, 19: 232-240.
342. **Shahina, F., J. Salma, G. Mehreen, M. I. Bhatti & K. A. Tabassum (2009)**. Rearing of *Rhynchophorus ferrugineus* in laboratory and field conditions for carrying out various efficacy studies using EPNs. In: Shahina, F., A. R. Kazmi & K. Firoza (Eds.). *Proc. 10th Nematological event Int. Conf. Nematology Pakistan and 35th All Pakistan Sci. Conf., Pak. J. Nematol.*, 27: 219-228.
343. **Shahina, F. (2010)**. *Environmental impact assessment of cotton Better Management Practices (BMP): Biodiversity of nematodes*. (2008-2010). Sponsored by WWF-Pakistan under Pakistan Sustainable Cotton Initiative (PSCI).
344. **Shahina, F. & G. Mehreen (2010)**. Entomopathogenic nematode species with new codes from Pakistan. *Pak. J. Nematol.*, 28: 145-148.
345. **Shahina, F. & J. Salma (2010)**. Laboratory evaluation of seven Pakistani strains of entomopathogenic nematode against stored grain insect pest *Sitophilus oryzae* L. *Pak. J. Nematol.*, 28: 295-305.

346. **Shahina, F. & K. A. Tabassum (2010).** *Steinernema carpocapsae* (Nematoda: Steinernematidae) A new entomopathogenic nematode isolate from Pakistan. *Pak. J. Nematol.*, 28: 59-64.
347. **Shahina, F. & K. A. Tabassum (2010).** Virulence of *Steinernema pakistanense* against different insect species in laboratory condition. *Pak. J. Nematol.*, 28: 279-284.
348. **Shahina, F., A. R. Kazmi, K. A. Tabassum, G. Mahreen & J. Salma (2010).** Evaluation of *Xenorhabdus nematophila* from *Steinernema asiaticum* against wax moth larvae and vine mealybug. *Int. J. Nematol.*, 20: 203-210.
349. **Shahina, F., X. Yan, R. Han & G. Mehreen (2010).** Identification and phylogenetic analysis of entomopathogenic nematodes (Steinernematidae and Heterorhabditidae) from Pakistan as inferred from ribosomal DNA sequences of the ITS1-5.8S-ITS2 region. *Pak. J. Nematol.*, 28: 75-93.
350. **Shahina, F. & J. Salma (2011).** Pakistani strains of entomopathogenic nematode as a biological control agent against stored grain pest, *Tribolium castaneum*. *Pak. J. Nematol.*, 29: 25-34.
351. **Shahina, F. & J. Salma (2011).** Virulence of Pakistani strains of entomopathogenic nematodes against *Lasioderma serricorne*, a stored product insect pest. *Int. J. Nematol.*, 21: 79-85.
352. **Shahina, F., A. R. Kazmi, K. A., Tabassum, G. Mahreen & J. Salma (2011).** Pathogenicity of *Xenorhabdus nematophila* (strain HAM-10) against wax moth larvae and vine mealybug in Pakistan. *Pak. J. Nematol.*, 29: 15-23.
353. **Shahina, F., K. A. Tabassum, J. Salma & G. Mahreen (2011).** Biopesticidal affect of *Photorhabdus luminescens* against *Galleria mellonella* larvae and subterranean termite (Termitidae: *Macrotermis*). *Pak. J. Nematol.*, 29: 35-43.
354. **Shahina, F. (2012).** *Molecular characterization, mass production and formulation of entomopathogenic nematodes* (July, 2012 to June, 2015). Sponsored by Pakistan Science Foundation under ILP.
355. **Shahina, F. & J. Salma (2012).** *Biological control of root-knot nematodes through entomopathogenic nematodes on tomato (Solanum lycopersicum L.)*. National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 1-16. (Urdu version)
356. **Shahina, F. & G. Mahreen (2012).** *Biological control of root-knot nematodes through entomopathogenic nematodes on okra (Abelmoschus esculentus (L.) Moench)*. National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 1-13. (Urdu version)
357. **Shahina, F., K. A. Tabassum, J. Salma & G. Mehreen (2012).** Redescription of *Steinernema litorale* Yoshida, 2004 (Nematoda: Steinernematidae) from Pakistan on the

basis of morphometric, ITS1-5.8S-ITS2, 28S (D2/D3) and mtDNA region. *Int. J. Nematol.*, 22: 81-93.

358. **Shahina, F., K. Firoza, G. Mehreen, J. Salma & M. I. Bhatti (2012).** Molecular characterization of root-knot nematodes with five new host records from Pakistan. *Pak. J. Nematol.*, 30: 129-141.
359. **Shahina, F. & K. Firoza (2012).** *Application of biopesticides entomopathogenic nematodes in vegetable fields affected with root-knot nematodes.* (September, 2010 to August, 2013). Sponsored by Pakistan Science Foundation under NSLP.
360. **Shahina, F., K. A. Tabassum, G. Mehreen and J. Salma (2013).** *Steinernema maqbooli* n. sp. (Rhabditida: Steinernematidae:) a species of the 'bicornutum' group from Pakistan. *Int. J. Nematol.*, 23: 59-72.
361. **Shahina, F., K.A. Tabassum. & M.H. Soomro (2013).** Entomopathogenic nematodes and their bacterial symbionts from Pakistan. Lambert Academic Publishing. 352 pp.
362. **Shahina, F., K. Nasira & M. H. Soomro (2013).** Marine Nematode Biodiversity of Arabian Sea in Pakistan. Vol. I. Lambert Academic Publishing. 406 pp.
363. **Shahina, F., K. Firoza and K. A. Tabassum (2014).** Nematode fauna of Pakistan an update (*Proceeding of the National Symposium on Biodiversity of Pakistan*, June 7-9 2011, Islamabad). Submitted.
364. **Shahina, F., K. A. Tabassum and M. A. Habib (2014).** Potential of EPN in management of cotton bollworms in Pakistan. *Pak. J. Nematol.*, 32: 85-90.
365. **Shahina, F., X. Yan, L. Qiu, R. Han, G. Mehreen, K. A. Tabassum and J. Salma (2014).** A new entomopathogenic nematode, *Steinernema bifurcatum* n. sp. (Rhabditida: Steinernematidae) from Punjab, Pakistan. *Nematology* (Submitted).
366. **Shakeel, M. (1992).** *Qualitative and quantitative studies of the nematode fauna of garden rose and jasmine from different localities of Karachi.* M. Sc. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan.
367. **Shaukat, S. S., I. A. Siddiqui & B. Zarina (2004).** Effect of some common weeds from Pakistan on plant-parasitic nematodes *in vitro* and population densities and survival of *Meloidogyne incognita* in okra and brinjal. *Nematol. Medit.*, 32: 111-115.
368. **Shaukat, S. S., A. K. Moazzam, W. Ahmed & F. Shahina (2009).** Effect of *Meloidogyne javanica* and moisture stress on growth and physiological responses of brinjal. *Pak. J. Nematol.*, 27: 281-296.
369. **Siddiqui, I. A., S. E. Haque, M. J. Zaki & A. Ghaffar (1998).** Effect of brown seaweeds (*Stoechospermum marginatum* and *Sargassum tenerrimum*) and rhizobia in control of root-knot disease and growth of mungbean. *Pak. J. Nematol.*, 16: 145-149.

370. **Siddiqui, I. A., H. Bashir, S. E. Haque, V. Sultana, J. Ara, M. J. Zaki & A. Ghaffar (1999).** Organic amendments for the control of *Meloidogyne javanica* in tomato 1. Effects on *Pseudomonas aeruginosa*. *Pak. J. Nematol.*, 17: 173-180.
371. **Siddiqui, I. A., S. S. Shaukat & A. Zarina (2005).** Suppression of *Meloidogyne javanica*, the root-knot nematode by some asteraceous plants in Pakistan. *Int. J. Biol. Biotech.*, 2: 409-413.
372. **Siddiqi, M. R. & F. Shahina (2004).** *Geomonhystera karuni* sp. n., and *G. dubia* sp. n., (Nematoda: Monhysterida) from Karachi, Pakistan. *Int. J. Nematol.*, 14: 169-173.
373. **Siddiqi, M. R., A. L. Bilgrami & K. A. Tabassum (2004).** Description and biology of *Mononchoides gaugleri* sp. n., (Nematoda: Diplogastrida) from New Jersey, USA. *Int. J. Nematol.*, 14: 129-134.
374. **Soomro, M. H., F. Shahina, I. Ahmad & M. A. Maqbool (2002).** An alternative to pesticides in Pakistan. *In: Shahina, F., K. Firoza & S. Shahzad (Eds.). Proc. Nat. Symp. Nematol.*, pp. 1-5.
375. **Tabassum, K. A., F. Shahina & S. S. Shaukat (2001).** Three new records of the order Mononchida (Enoplida: Nematoda) from Pakistan. *Pak. J. Nematol.*, 19: 41-47.
376. **Tabassum, K. A. & F. Shahina (2002).** Distribution of some species of free-living soil nematodes in Pakistan. *In: Shahina, F., K. Firoza & S. Shahzad (Eds.). Proc. Nat. Symp. Nematol.*, pp. 21-24.
377. **Tabassum, K. A. & F. Shahina (2002).** *Oscheius maqbooli* n. sp., and observations on three known Rhabditid species (Nemata: Rhabditida) from sugarcane fields of Balochistan, Pakistan. *Pak. J. Nematol.*, 20: 1-21.
378. **Tabassum, K. A. & F. Shahina (2002).** Re-description of four known Cephalobids (Nemata: Cephalobidae) from Pakistan. *Pak. J. Nematol.*, 20: 25-37.
379. **Tabassum, K. A. & F. Shahina (2003).** New records and morphological observations on three known species of Plectidae and Ironidae (Nemata: Adenophorea) from Pakistan. *Pak. J. Nematol.*, 21: 11-17.
380. **Tabassum, K. A. & F. Shahina (2003).** Five new records of the order Rhabditida (Nemata: Rhabditida) from Pakistan. *Pak. J. Nematol.*, 21: 73-90.
381. **Tabassum, K. A. & F. Shahina (2004).** Redescription of *Steinernema feltiae* Filipjev, 1934 (Nematoda: Steinernematidae) from Pakistan. *Pak. J. Nematol.*, 22: 1-8.
382. **Tabassum, K. A., A. R. Mussarat & F. Shahina (2004).** Redescription of *Mesorhabditis cranganorensis* Khera, 1968 and *Acrobeles geraerti* Rashid, Heyns & Coomans, 1990 (Nematoda: Rhabditida) from Pakistan. *Pak. J. Nematol.*, 22: 9-16.

383. **Tabassum, K. A. & F. Shahina (2004).** *In vitro* mass rearing of different species of entomopathogenic nematodes in monoxenic solid culture. *Pak. J. Nematol.*, 22: 167-175.
384. **Tabassum, K. A. & A. R. Mussarat (2005).** Distribution of the Cephalobina. *Pak. J. Nematol.*, 23: 129.
385. **Tabassum, K. A., F. Shahina & B. Abid (2005).** Occurrence of entomopathogenic nematodes in Pakistan. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 99-102.
386. **Tabassum, K. A., F. Shahina & M. R. Siddiqi (2005).** Description of *Lordellonema subannulatum* sp. n., *Poronemella divulgata* sp. n., and *Moshajia teres* sp. n., (Dorylaimida: Lordellonematinae) from Pakistan. *Int. J. Nematol.*, 15: 163-168.
387. **Tabassum, K. A., F. Shahina, K. Firoza & M. R. Siddiqi (2005).** Description, embryonic and post embryonic development of *Distolabrellus pakistanensis* sp. n., (Rhabditida: Mesorhabditinae), a new insect parasitic nematode from Pakistan. *In: Shahina, F., K. Firoza & M. H. Soomro (Eds.). Proc. 5th Nat. Nematol. Conf., Pak. J. Nematol.*, 23: 9-20.
388. **Tabassum, K. A., A. R. Kazmi & F. Shahina (2007).** A redescription of *Steinernema siamkayai* Stock *et al.*, 1998 (Rhabditida: Steinernematidae) from Pakistan. *Int. J. Nematol.*, 17: 217-224.
389. **Tabassum, K. A. & F. Shahina (2008).** *Oscheius andrassyi* n. sp., (Nematoda: Rhabditidae) with its key and embryonic and post-embryonic development from Jhang, Pakistan. *Pak. J. Nematol.*, 26: 125-140.
390. **Tabassum, K. A. (2010).** *Taxonomic studies on plant and soil nematodes of sugarcane fields with special reference of entomopathogenic nematodes.* Ph. D. Thesis, Department of Zoology, University of Karachi, Karachi-75270, Pakistan. pp. 304.
391. **Tabassum, K. A. & F. Shahina (2010).** *Oscheius siddiqii* and *O. niazii*, two new entomopathogenic nematode species from Pakistan, with observations on *O. shamimi*. *Int. J. Nematol.*, 20: 75-84.
392. **Tasneem, M. (2012).** *Screening of genetic diversity of vegetables against Meloidogyne spp. root-knot nematodes of Sindh, Pakistan.* Ph. D. Thesis, Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 203.
393. **Tariq, M., K. Firoza & F. Shahina (2007).** Medicinal plants as new hosts of root-knot and other nematodes from Hamdard University, Karachi, Pakistan. *Pak. J. Nematol.*, 25: 165-172.
394. **Tariq, M. (2013).** *Nematode problem of some important plants and their management in sindh, Pakistan.* Ph. D. Thesis, Department of Nematology, National Nematological Research Centre, University of Karachi, Karachi-75270, Pakistan. pp. 201.

395. **Turpeenniemi, T. A., K. Nasira & M. A. Maqbool (2001).** A new genus, five new and five known species of free-living marine nematodes (Nematoda: Monhysterida; Chromadorida) from Arabian Sea of Pakistan. *Pak. J. Nematol.*, 19: 1-31.
396. **Uzma, N. (1996).** *Distribution and population fluctuation of certain plant parasitic nematodes associated with banana in Sindh.* M. Sc. Thesis, Department of Botany, University of Karachi, Karachi-75270, Pakistan.
397. **Wafra, M. Z., K. Nasira & M. A. Khan (2012).** Free-living marine nematodes from Chinna Creek, Karachi, Sindh, Pakistan. *Int. J. Biol. Biotech.*, 9: 449-454.
398. **Zaki, M. J. & M. A. Maqbool (1990).** Effect of *Pasteuria penetrans* and *Paecilomyces lilacinus* on the control of root-knot nematodes of brinjal and mung. *Pak. J. Phytopathol.*, 2: 37-42.
399. **Zaki, M. J. & M. A. Maqbool (1991).** Combined efficacy of *Pasteuria penetrans* and other biocontrol agents on the control of root-knot nematode on okra. *Pak. J. Nematol.*, 9: 49-52.
400. **Zaki, M. J. & M. A. Maqbool (1991).** *Paecilomyces lilacinus* controls *Meloidogyne javanica* on chickpea. *Int. Chickpea Newsl.*, 25: 22-23.
401. **Zaki, M. J. & M. A. Maqbool (1992).** Biological control of plant parasitic nematodes in Pakistan. In: Ghaffar, A. & S. Shahzad (Eds.). *Proc. Nat. Symp. Status of Plant Pathology in Pakistan.* pp. 233-237.
402. **Zaki, M. J. & M. A. Maqbool (1992).** Effect of *Pasteuria penetrans* and *Paecilomyces lilacinus* on the control of root-knot nematodes on brinjal and mung. *Pak. J. Nematol.*, 10: 75-79.
403. **Zaki, M. J. & M. A. Maqbool (1992).** Effect of spore concentrations of *Pasteuria penetrans* on the attachment of *Meloidogyne* larvae and growth of okra plants. *Pak. J. Nematol.*, 10: 69-73.
404. **Zaki, M. J. & M. A. Maqbool (1993).** Effect of temperature and culture media on the growth of *Verticillium chlamydosporium*, an egg parasite of root-knot and cyst nematodes. *Pak. J. Pathol.*, 5: 102-105.
405. **Zaki, M. J. & M. A. Maqbool (1993).** Occurrence of *Verticillium chlamydosporium* an egg parasite of root-knot nematodes *Meloidogyne javanica* and *M. incognita* in Pakistan. *Pak. J. Nematol.*, 11: 37-40.
406. **Zaki, M. J. & M. A. Maqbool (1993).** Inhibition of growth of root infecting fungi by *Verticillium chlamydosporium*, an egg parasite of root-knot and cyst nematodes. *Pak. J. Nematol.*, 11: 157-158.
407. **Zaki, M. J. & M. A. Maqbool (1994).** New host record of nematophagous fungi from Pakistan. *Medical Biol. J.*, 2: 39-40.

408. **Zaki, M. J. (1995).** Biocontrol agents of plant parasitic nematodes in Pakistan. *In: Hussain et al., (Eds.). Recent Trends in Biochemistry Research in Pakistan. Proc. Second Nat. Biochem. Symp., pp. 401-407.*
409. **Zaki, M. J. & M. A. Maqbool (1995).** Efficacy of nematicides in the control of root-knot nematode on tomato. *Pak. J. Nematol., 13: 137-140.*
410. **Zaki, M. J. & M. A. Maqbool (1996).** Effect of *Paecilomyces lilacinus* and *Verticillium chlamyosporium* on root-knot disease of chickpea. *Int. Chickpea and Pigeonpea Newsl., 3: 38-39.*
411. **Zaki, M. J. & M. A. Maqbool (1998).** Use of biocontrol fungi with carbofuran in the control of root-knot nematodes in okra. *Pak. J. Biol. Sci., 1: 27-28.*
412. **Zareen, A., F. Shahina & S. Shahzad (1999).** New records of nematodes associated with betelvine in Pakistan with observations on *Aphelenchoides helicospoma*. *Pak. J. Nematol., 17: 47-50.*
413. **Zarina, B. & M. A. Maqbool (1989).** Additional hosts of root-knot nematodes in Pakistan. *Pak. J. Nematol., 7: 121.*
414. **Zarina, B. & M. A. Maqbool (1990).** Description of *Amplimerlinius parbati* n. sp., (Nematoda: Tylenchida) with observation on *Merlinius adakensis* from northern areas of Pakistan. *Pak. J. Nematol., 8: 7-12.*
415. **Zarina, B. & M. A. Maqbool (1991).** New host records of root-knot nematode (*Meloidogyne* spp.) in Pakistan. *Pak. J. Nematol., 9: 63-65.*
416. **Zarina, B. & M. A. Maqbool (1991).** Description of *Helicotylenchus verecundus* n. sp., and *Tylenchorhynchus rosei* n. sp., (Nematoda: Tylenchida) from Pakistan. *Pak. J. Nematol., 9: 79-86.*
417. **Zarina, B. & M. A. Maqbool (1992).** Description of *Quinisulcius quaidi* n. sp., and additional morphometrics of two known species of Tylenchorhynchinae (Nematoda: Dolichodoridae) from Pakistan. *Pak. J. Nematol., 10: 7-13.*
418. **Zarina, B. & M. A. Maqbool (1992).** Plant parasitic nematodes of ornamental plants of Karachi and its suburbs. *In: Ghaffar, A. & S. Shahzad (Eds.). Proc. Nat. Symp. Status of Plant Pathology in Pakistan. pp. 83-86.*
419. **Zarina, B. & M. A. Maqbool (1993).** Plant parasitic nematodes of ornamental plants in Karachi. *In: Maqbool, M. A., A. Ghaffar & M. J. Zaki (Eds.). Proc. Second Int. Workshop Plant Nematol., pp. 101-103.*
420. **Zarina, B. & M. A. Maqbool (1994).** Description of *Tylenchorhynchus tuberosus* n. sp., and observations on *Dolichorhynchus phaseoli* (Nematoda: Dolichodoridae) from ornamental plants of Karachi, Pakistan. *Pak. J. Nematol., 12: 51-57.*

421. **Zarina, B. & M. Abid (1995).** New host records of root-knot nematodes (*Meloidogyne* species) in Pakistan. *Pak. J. Nematol.*, 13: 49-50.
422. **Zarina, B. & M. A. Maqbool (1995).** Description of *Merlinius indicus* n. sp., and observations on two species (Nematoda: Tylenchida) from ornamental plants in Pakistan. *Pak. J. Nematol.*, 13: 61-68.
423. **Zarina, B. (1996).** *Studies on plant parasitic nematodes of ornamental and vegetable plants with special reference to root-knot nematode.* Ph. D. Thesis Department of Botany, University of Karachi, Karachi-75270, Pakistan. pp. 299.
424. **Zarina, B. & M. A. Maqbool (1998).** Description and observations on two new and two known species of the genus *Pratylenchus* Filipjev, 1936 (Nematoda: Pratylenchidae) from Pakistan. *Pak. J. Nematol.*, 16: 13-24.
425. **Zarina, B. & M. A. Maqbool (1998).** Description of *Dolichorhynchus (Dolichorhynchus) motiaii* n. sp., (Nematoda: Tylenchida) and observations on *Basirolaimus dubius* (Chaturvedi & Khera, 1979) Siddiqi 1986 from Pakistan. *Pak. J. Nematol.*, 16: 85-93.
426. **Zarina, B. (2002).** New host records of root-knot nematode in Pakistan. *Pak. J. Nematol.*, 20: 77.
427. **Zarina, B. & S. S. Shaukat (2002).** New hosts of root-knot nematode in Pakistan. *Asian J. Pl. Sc.*, 4: 417.
428. **Zarina, B., A. Ghaffar & M. A. Maqbool (2003).** Effect of plant extracts in the control of *Meloidogyne javanica* root-knot nematode on brinjal. *Pak. J. Nematol.*, 21: 31-35.
429. **Zarina, B., S. S. Shaukat & I. A. Siddiqui (2003).** Suppression of *Meloidogyne javanica* by *Conyza canadensis*, *Blumea obliqua*, *Amaranthus viridis* and *Eclipta prostrata*. *Pak. J. Plant Pathol.*, 2: 174-180.
430. **Zarina, B. (2004).** New hosts of root-knot nematode in Pakistan. *Pak. J. Nematol.*, 22: 213.
431. **Zarina, B., M. R. Siddiqi & F. Shahina (2004).** *Bitylenchus microcephalus* sp. n., and *B. maximus pakistanensis* sub sp. n., (Nematoda: Telotylenchidae). *Int. J. Nematol.*, 14: 85-90.
432. **Zarina, B. (2005).** *Morphological and systematical studies on plant and soil nematodes of banana in Sindh region.* (2004-05). University of Karachi, Karachi-75270, Pakistan.
433. **Zarina, B. & F. Shahina (2005).** Studies on plant parasitic nematodes associated with ornamental plants in Pakistan. *Pak. J. Nematol.*, 23: 131.
434. **Zarina, B. (2006).** Some new records of plant parasitic nematodes from Pakistan. *Pak. J. Nematol.*, 24: 9-18.

435. **Zarina, B., A. Ghaffar & M. A. Maqbool (2006).** Effect of plant extracts in the control of *Meloidogyne javanica* root-knot nematode on okra (*Abelmoschus esculentus* (L.) Moench). *Pak. J. Nematol.*, 24: 199-203.
436. **Zarina, B. (2007).** Management of root-knot nematode (*Meloidogyne javanica*) on banana plantation in Sindh, Pakistan. In: Firoza, K., F. Shahina & M. H. Soomro (Eds.). *Proc. 6th Nematol. Conf. and Workshop Integrated Disease Management (INDM) in some Cereals, Fruit and Vegetables of Pakistan.* *Pak. J. Nematol.*, 25: 73-78.
437. **Zarina, B. & F. Shahina (2007).** Description of *Moshajia qasimii* sp. n., (Nematoda: Dorylaimida) from Pakistan. *Int. J. Nematol.*, 17: 225-228.
438. **Zarina, B. & F. Shahina (2010).** Research work carried out on the management of root-knot nematode disease in Pakistan. *Pak. J. Nematol.*, 28: 153-240.
439. **Zarina, B. & F. Shahina (2010).** Ornamental as new host of *Meloidogyne* spp., in Pakistan. *Pak. J. Nematol.*, 28: 359-360.